

# WO0032800

Publication Title:

ARTIFICIAL MATRIX ATTACHMENT REGION FOR INCREASING  
EXPRESSION OF GENES INTRODUCED IN PLANT CELLS

Abstract:

1369 Abstract of WO0032800

Synthetic DNA molecule is useful as matrix attachment region to increase expression of genes introduced in transformed plants.

Data supplied from the esp@cenet database - Worldwide

---

Courtesy of <http://v3.espacenet.com>




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

|  |  |  |  |
|--|--|--|--|
| (51) International Patent Classification 7 :<br><b>C12N 15/82, 15/29, 15/67, 15/63, 5/10</b>   |  | A1   | (11) International Publication Number: <b>WO 00/32800</b><br>(43) International Publication Date: 8 June 2000 (08.06.00) |
| (21) International Application Number: PCT/US99/28123  |  | (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). |  |
| (22) International Filing Date: 30 November 1999 (30.11.99)  |  |  |  |
| (30) Priority Data:<br>60/110,437 1 December 1998 (01.12.98) US  |  |  |  |
| (71) Applicant: DOW AGROSCIENCES LLC [US/US]; 9330 Zionsville Road, Indianapolis, IN 46268 (US).   |  |  |  |
| (72) Inventors: VAN DER GEEST, Apolonia, H.M.; Roghorst 365, NL-6708 KX Wageningen (NL). AINLEY, W., Michael; 1474 Clearwater Court, Carmel, IN 46032 (US). COWEN, Neil, M.; 990 Tillson Drive, Zionsville, IN 46077 (US). WELTER, Mary, E.; 5333 Guilford Avenue, Indianapolis, IN 46220 (US). WOOSLEY, Aaron, T.; 8906 Tanner Drive, Fishers, IN 46038 (US). |  |  |  |
| (74) Agent: STUART, Donald, R.; Dow AgroSciences LLC, 9330 Zionsville Road, Indianapolis, IN 46268 (US).   |  |  |  |

(54) Title: ARTIFICIAL MATRIX ATTACHMENT REGION FOR INCREASING EXPRESSION OF GENES INTRODUCED IN PLANT CELLS

### Rice Construct



(57) Abstract

Synthetic DNA molecule is useful as matrix attachment region to increase expression of genes introduced in transformed plants.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

|    |                          |    |                                       |    |   |    |                          |
|----|--------------------------|----|---------------------------------------|----|---|----|--------------------------|
| AL | Albania                  | ES | Spain                                 | LS | Lesotho                                   | SI | Slovenia                 |
| AM | Armenia                  | FI | Finland                               | LT | Lithuania                                 | SK | Slovakia                 |
| AT | Austria                  | FR | France                                | LU | Luxembourg                                | SN | Senegal                  |
| AU | Australia                | GA | Gabon                                 | LV | Latvia                                    | SZ | Swaziland                |
| AZ | Azerbaijan               | GB | United Kingdom                        | MC | Monaco                                    | TD | Chad                     |
| BA | Bosnia and Herzegovina   | GE | Georgia                               | MD | Republic of Moldova                       | TG | Togo                     |
| BB | Barbados                 | GH | Ghana                                 | MG | Madagascar                                | TJ | Tajikistan               |
| BE | Belgium                  | GN | Guinea                                | MK | The former Yugoslav Republic of Macedonia | TM | Turkmenistan             |
| BF | Burkina Faso             | GR | Greece                                |    |   | TR | Turkey                   |
| BG | Bulgaria                 | HU | Hungary                               | ML | Mali                                      | TT | Trinidad and Tobago      |
| BJ | Benin                    | IE | Ireland                               | MN | Mongolia                                  | UA | Ukraine                  |
| BR | Brazil                   | IL | Israel                                | MR | Mauritania                                | UG | Uganda                   |
| BY | Belarus                  | IS | Iceland                               | MW | Malawi                                    | US | United States of America |
| CA | Canada                   | IT | Italy                                 | MX | Mexico                                    | UZ | Uzbekistan               |
| CF | Central African Republic | JP | Japan                                 | NE | Niger                                     | VN | Viet Nam                 |
| CG | Congo                    | KE | Kenya                                 | NL | Netherlands                               | YU | Yugoslavia               |
| CH | Switzerland              | KG | Kyrgyzstan                            | NO | Norway                                    | ZW | Zimbabwe                 |
| CI | Côte d'Ivoire            | KP | Democratic People's Republic of Korea | NZ | New Zealand                               |    |                          |
| CM | Cameroon                 |    |                                       | PL | Poland                                    |    |                          |
| CN | China                    | KR | Republic of Korea                     | PT | Portugal                                  |    |                          |
| CU | Cuba                     | KZ | Kazakhstan                            | RO | Romania                                   |    |                          |
| CZ | Czech Republic           | LC | Saint Lucia                           | RU | Russian Federation                        |    |                          |
| DE | Germany                  | LI | Liechtenstein                         | SD | Sudan                                     |    |                          |
| DK | Denmark                  | LK | Sri Lanka                             | SE | Sweden                                    |    |                          |
| EE | Estonia                  | LR | Liberia                               | SG | Singapore                                 |    |                          |

**ARTIFICIAL MATRIX ATTACHMENT REGION FOR INCREASING  
EXPRESSION OF GENES INTRODUCED IN PLANT CELLS**

The present invention relates to plant molecular  
5 biology, and in particular to technology for enhancing  
the expression of genes introduced in transformed plant  
cells.

Through the use of recombinant DNA technology and  
genetic engineering, it has become possible to introduce  
10 desired DNA sequences into plant cells to allow for the  
expression of proteins of interest. Plants with  
genetically engineered traits, such as, for example,  
insect resistance, disease resistance, drought  
resistance, herbicide resistance, or metabolic  
15 alterations that increase or modify production of useful  
plant products, offer great promise of improving  
agriculture.

Obtaining desired levels of expression of DNA  
introduced into plant cells remains a challenge. One  
20 problem, referred to as "position effect" variation, is  
the variation in expression of the same gene in  
independent transformants. The use of naturally  
occurring DNA sequences called matrix attachment regions  
or scaffold attachment regions to combat this problem was  
25 proposed in U.S. Patent 5,773,689 and in WO 94/24293.

The present invention provides a novel synthetic DNA  
molecule comprising bp 11 to 309 of SEQ ID NO: 1 that is  
useful as a matrix attachment region to increase  
expression of genes introduced in transformed plants.

30 In another of its aspects, the invention provides a  
DNA construct comprising, in the 5' to 3' direction: a  
transcription initiation region functional in plant  
cells, a structural gene operatively associated with the  
transcription initiation region, a 3' untranslated  
35 region, and a matrix attachment region comprised of bp 11  
to 309 of SEQ ID NO: 1 positioned either 5' to said  
transcription initiation region or 3' to said structural

gene. In a preferred embodiment, a first matrix attachment region comprised of bp 11 to 309 of SEQ ID NO: 1 is positioned 5' to said transcription initiation region and a second matrix attachment region comprised of 5 bp 11 to 309 of SEQ ID NO: 1 is positioned 3' to said 3' untranslated region.

In a particularly preferred embodiment, the matrix attachment region of the invention comprises two or more tandem copies of bp 11 to 309 of SEQ ID NO:1.

10 BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a diagram showing the strategy for assembling the artificial MAR of SEQ ID NO:1.

15 FIG. 2 is a schematic representation of the rice transformation construct ArGOS2Af, which contains the MAR dimer.

FIG. 3 is a graph comparing relative GUS activity for multiple rice transformation events using non-MAR containing construct GOS2 and construct ArGOS2Af, which contains an artificial MAR dimer.

20 FIG. 4 is a graph showing the effect of the artificial MAR on ranges of expression of the GUS reporter gene in transgenic rice plants.

25 FIG. 5 is a schematic representation of the *Arabidopsis* transformation constructs ArAct2Af and aaaaAfAct2Af. ArAct2Af contains copies of the MAR dimer in opposite orientations flanking the reporter gene. AfAct2Af contains copies of the MAR dimer in the same orientation flanking the reporter gene.

30 FIG. 6 is a graph comparing relative GUS activity for multiple *Arabidopsis* transformation events using non-MAR containing construct Act2 and constructs ArAct2Af and AfAct2Af, which contain an artificial MAR dimer.

35 FIG. 7 is a graph showing the effect of the artificial MAR on the range of expression of the GUS reporter gene in transgenic *Arabidopsis* plants.

DESCRIPTION OF THE SEQUENCES

SEQ ID NO:1 describes the artificial MAR of the invention.

SEQ ID NOS:2 to 4 describe ARBP sites.

SEQ ID NO:5 describes an ATF site.

5 SEQ ID NO:6 describes a BEAF-32 site.

SEQ ID NOS:7 to 9 describe topoisomerase II sites.

SEQ ID NO:10 describes an unwinding sequence.

SEQ ID NOS:11 to 17 describe SATB I sites.

SEQ ID NO:18 describes exemplary bending DNA.

10 SEQ ID NO:19 describes an exemplary A/T tract.

SEQ ID NO:20 describes synthetic MAR-A.

SEQ ID NO:21 describes synthetic MAR-B.

SEQ ID NO:22 describes synthetic MAR-C.

SEQ ID NO:23 describes synthetic MAR-D.

15 SEQ ID NO:24 describes synthetic MAR-E.

SEQ ID NO:25 describes synthetic MAR-F.

SEQ ID NO:26 describes the 3' MAR dimer in  
pArGOS2Af-hpt and ArAct2Af-bin

SEQ ID NO:27 describes rice transformation vector  
20 pGOS2-hpt.

SEQ ID NO:28 describes rice transformation vector  
pArGOS2Af-hpt.

SEQ ID NO:29 describes the 5' MAR dimer in  
pArGOS2Af-hpt and ArAct2Af-bin.

25 SEQ ID NO:30 describes dicot transformation vector  
pAct2-bin.

SEQ ID NO:31 describes dicot transformation vector  
pArAct2Af-bin.

30 SEQ ID NO:32 describes dicot transformation vector  
pAfAct2Af-bin.

SEQ ID NO:33 describes the 3' MAR dimer in  
pAfAct2Af-bin.

#### DETAILED DESCRIPTION OF THE INVENTION

35 Eukaryotic nuclei are highly organized structures in  
which the entire genetic information has to be accessible  
in an orderly manner for replication, transcription and

other cellular events (Lewin, 1994; Dillon and Grosveld, 1994; Jackson, 1995; Wolffe, 1994). Genes are typically organized in chromatin loops of various sizes that are attached to the proteinaceous nuclear matrix at locations 5 known as matrix attachment regions (MARs). MARs are often located in non-transcribed regions of genes and are thought to form the physical boundaries of individual DNA loops. In several cases, MARs were shown to reduce position effect in transgenic organisms. The chicken 10 lysozyme MAR was shown to increase expression, reduce variance and make expression of an adjacent gene copy number dependent in stably transfected cells (Stief *et al.*, 1989) in transgenic mice (Bonifer *et al.*, 1990, McKnight *et al.*, 1992) and in transgenic tobacco plants 15 (Mlynárová *et al.*, 1994; Mlynárová *et al.*, 1995).

However, not all MARs have these effects on gene expression. Two minimal *Drosophila* MARs (one located between the histone H1 and H3 genes, and the other near the heat shock HSP70 genes) stimulated expression more 20 than 10-fold in stably transformed cells, but the presence of these MARs did not reduce position effect (Poljak *et al.*, 1994). MARs from the apolipoprotein domain increased expression and reduced position effect 25 in low-copy transformants, but expression in multicopy transformants was strongly repressed. (Kalos and Fournier, 1995). When a *Drosophila ftz* MAR was placed in a different chromosomal location, it did not reorganize chromatin structure and the chromatin fragment containing the MAR could be easily eluted from the nucleus, 30 indicating that introduced MARs do not necessarily form chromatin domains (Eggert and Jack, 1991). In contrast, MARs flanking the immunoglobulin  $\mu$  heavy chain locus enhancer were required for high levels of expression and the formation of an extended DNase I sensitive domain in 35 transgenic B lymphocytes, but not in stably transfected tissue culture cells (Forrester *et al.*, 1994).

Results using MARs in transgenic plants have been similarly complex (Spiker and Thompson, 1996). A yeast MAR increased expression levels in stably transformed tobacco callus lines, but no correlation between copy 5 number and expression level could be found (Allen *et al.*, 1993). In contrast, the MAR element from the soybean heat shock gene *Gmhsp17.6-L* was shown to be capable of increasing expression levels but had little effect on variability (Schöffl *et al.*, 1993). A soybean MAR 10 flanking a reporter gene construct reduced variability of expression when compared to a construct lacking MARs, but also reduced expression levels when present 5' and 3' of a reporter gene construct in transgenic tobacco callus (Breyne *et al.*, 1992). It is possible that individual 15 MARs can have different functional and structural properties in addition to their matrix binding ability (Breyne *et al.*, 1994).

MARs are usually 300 to 2000 base pairs in length, are rich in adenine and thymine residues and often 20 contain certain conserved sequence elements and structural features. Most MARs described in the literature are not obtained from plants, but it has been well documented that MARs from other organisms bind plant scaffolds and vice versa (Dietz *et al.*, 1994; Breyne *et* 25 *al.*, 1992).

Table 1 describes sequence elements present in MARs described in the literature, including the following plant MARs: soybean heat shock protein gene MAR, (Schöffl *et al.*, 1993); a petunia MAR (Dietz *et al.*, 1994); the 30 pea plastocyanin gene MAR (Slatter *et al.*, 1991); the maize *Adh1* gene 5' and 3' MARs (Avramova and Bennetzen, 1993; Avramova *et al.*, 1995); the *b*-phaseolin gene 5' and 3' MARs (van der Geest *et al.*, 1994).

Table 1

| element            | characteristics  | sequence  | SEQ ID NO:                             | reported in plant MARs                   |
|--------------------|--|---|--|--|
| ARBP               | ARBP (attachment-region binding protein) from chicken which binds MARs from <i>Drosophila</i> , mouse, chicken and human genes in a cooperative manner (von Kries <i>et al.</i> , 1991; Buhrmester <i>et al.</i> , 1995)               | ATTCAGGTGTAAAA<br>TGCAAGGTGTCTT<br>TGGGGGTGTAAAA  | 2<br>3<br>4                            | no<br>yes<br>yes                         |
| ATF                | ATF sequences bind transcription factors of the ATF family, two of which were shown to be integral components of the nuclear matrix (Stein <i>et al.</i> , 1991)   | TGACGTCCATG   | 5                                      | no                                       |
| BEAF-32            | Beaf-32 (boundary element-associated factor of 32 kDa molecular mass) binds to the locus boundary element scs' from <i>Drosophila</i> , which can insulate reporter genes from position effect variegation (Zhao <i>et al.</i> , 1995) | CGATA   | 6                                      | yes                                      |
| topo-isomerase II  | Topoisomerase II is a major component of the nuclear matrix and topoisomerase II binding sites have been found in most MARs to date (Sander and Hsieh, 1985; Boulikas, 1995)   | CNNGYNGKTNYNY<br>ASMATGCGYWYATCRT<br>GTNWAKATTNATNNR  | 7<br>8<br>9                            | yes<br>no<br>yes                         |
| unwinding sequence | Unwinding sequences such as AATATATT cause DNA unwinding <i>in vivo</i> , which is important for MAR function (Bode <i>et al.</i> , 1992)  | AATATATT  | 10                                     | yes                                      |
| SATB1              | SATB1 is a protein isolated from human thymus tissue that selectively binds MAR sequences consisting of A's, T's and C's in one strand (Dickinson <i>et al.</i> , 1992; Nagagomi <i>et al.</i> , 1994)                                 | TTCTAATATAT<br>ATAATCTTC<br>TTATTATTAA<br>TATAAAAA<br>AAGATTATATA<br>TTTAATGAGATAATAA<br>TATAATCTTC | 11<br>12<br>13<br>14<br>15<br>16<br>17 | no<br>no<br>yes<br>yes<br>no<br>no<br>no |
| bending DNA        | Curved DNA regions are often found in or near MARs (Bode <i>et al.</i> , 1995)   | AAANNNNNNNAAA   | 18                                     | yes                                      |
| stem-loop          | Stem loops create small single-stranded regions which are important for MAR function (Boulikas and Kong, 1993)   |   |  | yes                                      |
| oligo A/T tracts   | These can create bent DNA that may attract protein complexes involved in topoisomerization,  | AAAAAAA   | 19                                     | yes                                      |

| element | characteristics   | sequence | SEQ ID NO: | reported in plant MARs |
|---------|---|----------|------------|------------------------|
|         | recombination, transcription or replication (Travers, 1990) |          |            |                        |

K: G or T, M: A or C, N: A, C, G or T, R: A or G, S: C or G, W: A or T, Y: C or T.

The present invention utilizes a subset of the features described in Table 1 in a novel artificial MAR.

5 The sequence of the 327 bp artificial MAR is given in SEQ ID NO:1. The artificial MAR was designed as a sequence flanked by *Bgl*II and *Bam*HI restriction sites, which are included in SEQ ID NO:1, but which are not critical to the function of the MAR. The functional portion of the 10 MAR comprises bp 11 to 309 of SEQ ID NO:1.

The following features are found in SEQ ID NO:1:

| Feature              | location (bp)   |
|----------------------|-----------------|
| <i>Bgl</i> II        | 5-10            |
| BEAF-32              | 11-15           |
| SATBI                | 24-34           |
| unwinding            | 28-36           |
| topoisomerase II     | 44-59           |
| ATF site             | 60-69           |
| A/T tract            | 70-85           |
| BEAF-32              | 86-90           |
| stem-loop            | 93-101/117-124  |
| unwinding            | 105-113         |
| topoisomerase II     | 125-139         |
| SATBI                | 149-159         |
| unwinding            | 153-161         |
| BEAF-32              | 164-168         |
| SATBI                | 185-195         |
| stem-loop            | 208-216/231-239 |
| unwinding            | 219-227         |
| A/T tract            | 241-253         |
| topoisomerase II     | 268-283         |
| curved (bending) DNA | 284-294         |
| ARBP site            | 295-309         |
| <i>Bam</i> HI        | 318-323         |

The 3' UTR, or 3' untranslated region, that is employed in constructs of the invention is one that confers efficient processing of the mRNA, maintains 5 stability of the message and directs the addition of adenosine ribonucleotides to the 3' end of the transcribed mRNA sequence. The 3' UTR may be native with the promoter region, native with the structural gene, or may be derived from another source. Suitable 3' 10 UTRs include, but are not limited to: the *per5* 3' UTR, and the 3' UTR of the nopaline synthase (*nos*) gene.

Example 1

Synthesis of artificial MAR

To construct the artificial MAR, six individual 15 oligonucleotides were synthesized and assembled by PCR. The sequences for the six oligonucleotides, referred to hereinafter as MAR-A, MAR-B, MAR-C, MAR-D, MAR-E, and MAR-F, are given in the Sequence Listing as SEQ ID NOS: 20 through 25, respectively. A 15 bp overlap between 20 adjacent oligonucleotides allowed assembly of the MAR by PCR, using the strategy shown in Figure 1.

The GeneAmp™ PCR Reagent Kit with AmpliTaq DNA Polymerase (Perkin Elmer, Norwalk, CT) was used for the DNA amplification. Twenty cycles of PCR (denaturation: 30 sec at 94°C; annealing: 60 sec at 52°C and extension: 5 60 sec at 70°C) with primers MAR-C and MAR-D were followed by 20 cycles of PCR with primers MAR-B and MAR-E, using the product from the first reaction as template for the second reaction. The 231 bp product of this reaction was purified from a low melting point agarose gel and used as 10 a template for 20 cycles of PCR with primers MAR-A and MAR-F. The 327 bp product from this reaction was subcloned into pCR2.1 using the TA Cloning™ Kit (Invitrogen, San Diego, CA) and the sequence was verified by sequencing.

15 A dimer consisting of two tandem copies of the *Bgl*III/*Bam*HI fragment was constructed in the *Bam*HI site of pBluescript™ SK- (Stratagene, La Jolla, CA). The sequence of the dimer is bp 5-630 of SEQ ID NO:26.

#### EXAMPLE 2

20 Binding of artificial MAR to nuclear scaffolds

A. Controls

Two DNA fragments of similar size and nucleotide composition as the artificial MAR were amplified from plant DNA to serve as controls in the binding assay.

25 These fragments were a 657 bp fragment from the 3' end of a maize gene Gpal (glyceraldehyde-3-phosphate dehydrogenase subunit A, GenBank accession number X15408, bases 4516 to 5173, Quigley *et al.*, 1989), and a 488 bp fragment from the 5' flanking region of a 19 kD alpha 30 zein gene (GenBank accession number X05911, bases 339 to 827, Kriz *et al.*, 1987). Table 2 compares the features present in the artificial MAR and control fragments.

Table 2

| element    | Artificial<br>MAR dimer | Gpal<br>control | zein<br>control |
|------------|-------------------------|-----------------|-----------------|
| ARBP sites | 2                       | 0               | 0               |

| element                                     | Artificial<br>MAR dimer | Gp1<br>control | zein<br>control |
|---|-------------------------|----------------|-----------------|
| ATF sites                                   | 2                       | 0              | 0               |
| BEAF-32 sites                               | 6                       | 1              | 1               |
| topoisomerase II<br>sites                   | 6                       | 0              | 0               |
| unwinding sequence<br>sites                 | 8                       | 0              | 0               |
| SATB1 sites                                 | 6                       | 0              | 0               |
| bending DNA sites                           | yes                     | yes            | yes             |
| stem-loop sites                             | 4                       | 1              | 0               |
| oligo A/T tracts                            | 2                       | 0              | 1               |
| fragment size in<br>binding assay           | 632                     | 657            | 488             |
| % A + T                                     | 71                      | 63             | 66              |
| strength of binding<br>to nuclear scaffolds | +++++                   | -              | -               |

B. Preparation of nuclei from maize leaves

Nuclei for use in isolating nuclear scaffolds were prepared from young maize leaves by adaptation of a published protocol (Hall *et al.*, 1991). Nuclei were counted and checked for integrity by microscopic examination of DAPI stained aliquots. Only high quality nuclei were used to prepare nuclear scaffolds by lithium diiodosalicylate extraction.

For nuclei purification, young maize leaves from V4 stage plants (fourth or fifth leaf) were harvested with a razor blade, washed and dried. After removing the midrib, leaves were frozen in liquid nitrogen, and ground to a fine powder with a mortar and pestle. The powdered leaf samples were transferred to a glass beaker, and 5 ml NIB1+PI (0.5 M hexylene glycol, 20 mM piperazine-N,N'-bis[2-ethanesulfonic acid] (PIPES), pH 6.5, 20 mM KCl, 7 mM 2-mercaptoethanol, 0.5 mM ethylenediaminetetraacetic acid (EDTA), 0.4 % Triton X-100<sup>TM</sup> [Rohm & Haas Company, Philadelphia, PA], 0.05 mM spermine, 0.125 mM spermidine, 1 mM phenylmethylsulfonyl fluoride (PMSF), 1 µg/ml leupeptin, 1 µg/ml aprotinin) was added per gram of leaf tissue. The leaf extract was filtered sequentially through 1900, 520, 125, 85 and 40 mm filters at 4°C and filters were rinsed with 1 ml NIB1+PI per gram leaf to collect any nuclei that were trapped in the debris. Fifteen ml crude nuclear extract was loaded onto Percoll<sup>TM</sup> (Pharmacia Biotech, Piscataway, NJ) gradients consisting of 7 ml 40% Percoll in NIB1 (0.5 M hexylene glycol, 20 mM PIPES, pH 6.5,

20 mM KCl, 7 mM 2-mercaptoethanol, 0.5 mM EDTA, 0.4 % Triton™ X-100, 0.05 mM spermine, 0.125 mM spermidine) and 5 ml 70% Percoll in NIB1. After centrifugation for 15 min at 500xg at 4°C the 40%/70% interface was collected with a sterile pasteur 5 pipette and added to 2 volumes NIB2 (0.5 M hexylene glycol, 20 mM PIPES, pH 6.5, 20 mM KCl, 7 mM 2-mercaptoethanol, 0.5 mM EDTA, 0.05 mM spermine, 0.125 mM spermidine), taking care to avoid the pellet and other debris. Nuclei were concentrated by centrifugation at 600xg for 10 min at 4°C.

10 The nuclear pellet was resuspended in 20 ml NIB2 and centrifuged as before. This step was repeated one more time to wash away traces of Percoll. Nuclei were counted using a hemacytometer and resuspended in NIB2+PI/50% glycerol (0.5 M hexylene glycol, 20 mM PIPES, pH 6.5, 20 mM KCl, 7 mM 2- 15 mercaptoethanol, 0.5 mM EDTA, 0.05 mM spermine, 0.125 mM spermidine, 50% glycerol, 1 mM PMSF, 1 µg/ml leupeptin, 1 µg/ml aprotinin) at 20 million nuclei/ml. Nuclei were stored at -80°C until used for scaffold preparation.

20 C. Preparation of nuclear scaffolds

Frozen nuclei were thawed and washed with 10 ml of NIB3+PI (0.5 M hexylene glycol, 20 mM PIPES, pH 6.5, 20 mM KCl, 7 mM 2-mercaptoethanol, 0.05 mM spermine, 0.125 mM spermidine, 1 mM PMSF, 1 µg/ml leupeptin, 1 µg/ml aprotinin) per 20 million nuclei. Nuclei were collected by centrifugation 25 at 600xg for 10 minutes, resuspended in 200 ml NIB3+PI in the presence of 1 mM CuSO<sub>4</sub>, and incubated for 10 min at 42°C to stabilize the nuclei.

Histones were extracted by incubation in 10 ml HIB+PI 30 (20 mM HEPES, pH 7.4, 100 mM lithium acetate, 10 mM LIS (lithium diiodosalicylate), 0.1 % digitonin, 2 mM EDTA, 1 mM PMSF, 1 µg/ml leupeptin, 1 µg/ml aprotinin) for 15 minutes at room temperature. The resulting nuclear halos were transferred to a centrifuge tube and pelleted at 4000xg for 10 minutes. 35 Halos were washed twice with 10 ml HWB (20 mM Tris, pH 8, 70

5 mM NaCl, 20 mM KCl, 7 mM 2-mercaptoethanol, 0.1 % digitonin, 0.05 mM spermine, 0.125 mM spermidine) and once with D/BB+PI (HWB + 10 mM MgCl<sub>2</sub>, 1 mM PMSF, 1 µg/ml leupeptin, 1 µg/ml aprotinin) to remove LIS. If halos did not pellet well, 5 subsequent centrifugation steps were done at 6000xg using a slow brake setting. The quality of the halos was verified by SDS-PAGE gel to ensure that more than 95% of the histones were removed in the extraction procedure

10 Washed nuclear halos were resuspended in 400 µl D/BB+PI and 200 units of restriction enzymes (100 u each of *Eco*RI and *Hind*III) were added, and incubated at 37°C for 2-3 hours on a rocking platform to keep the halos from settling. The restriction enzymes removed more than 70% of the nuclear DNA, producing nuclear scaffolds. Scaffolds were pelleted at 300xg 15 and washed with HWB+PI (HWB + 1 mM PMSF, 1 µg/ml leupeptin, 1 µg/ml aprotinin). Nuclear scaffolds were resuspended in 400 µl HWB+PI and separated into 100 µl aliquots (containing 5 million nuclear equivalents).

20 D. Binding of artificial MAR to nuclear scaffolds

100 µl aliquots of scaffolds in HWB+PI were incubated with probe and *E. coli* competitor DNA at 37°C for 2-3 hours in siliconized microfuge tubes on a rocking platform shaker. After incubation, the supernatant fraction (containing unbound 25 DNA fragments) and pellet fraction (containing scaffolds and bound DNA fragments) were separated via centrifugation in a horizontal microfuge at 3000xg for 5 min. The pellet was washed once with 200 µl HWB to remove proteinase inhibitors, resuspended in 100 µl lysis buffer (10 mM Tris, pH 8, 10 mM 30 EDTA, 0.5 % SDS, 0.5 mg/ml Proteinase K) and incubated overnight at room temperature.

Equal fractions of the pellet and supernatant were separated on a 0.9% agarose gel, which was subsequently fixed, by soaking in 7% TCA for 20 min, dried and exposed to X-ray

film at room temperature and/or storage phosphor screens for the PhosphoImager™ SI (Molecular Dynamics, Sunnyvale, CA).

Plasmids containing the artificial MAR monomer or dimer or the control Gpal or zein sequences were digested with 5 restriction enzymes that generate 5' overhang ends. The Klenow subunit of DNA polymerase I was used to fill the overhang with [ $\alpha$ -<sup>32</sup>P]dCTP (Amersham Life Science, Arlington Heights, IL). The end-labeled DNA fragments were used as probes in the binding assay, i.e. the fragments were incubated 10 with purified maize nuclear scaffolds in the presence of unlabeled *E.coli* competitor DNA and the relative binding of the inserts was determined. Relative amounts of nuclei, probe and unlabeled *E. coli* competitor DNA used in the binding assay were optimized to obtain maximal discrimination between 15 strongly and weakly binding MARs. The optimal relative amounts were 2, 5 or 10  $\mu$ g of unlabeled *E. coli* competitor DNA, 5 million nuclear equivalents of nuclear scaffolds, and 1 fmole of digested and labeled plasmid per assay.

The artificial MAR dimer bound very strongly to the 20 nuclear scaffold preparation, even in the presence of high levels of competitor DNA. The monomer MAR also bound to nuclear scaffold preparations, albeit at a lower affinity. Neither control sequence was retained in the pellet fraction, even though they were similar to the artificial MARs in size 25 and relative AT content. This suggests that the elements included in the artificial MAR facilitate binding.

#### EXAMPLE 3

##### EVALUATION OF THE ARTIFICIAL MAR IN RICE

###### A. Rice Transformation Vectors

30 pGOS2-hpt (SEQ ID NO:27) is a rice transformation vector containing a hygromycin selectable marker driven by the 35S promoter and a GOS2/GUS/nos cassette (GOS2 transcription initiation region/GUS structural gene/nos 3' untranslated region). The GOS2 transcription initiation region in this 35 construct is comprised of 1010 bp of promoter and 170 bp of

untranslated 5' leader interrupted by a 1100 bp intron (de Pater *et al.*, 1992).

5 pArGOS2Af-hpt (SEQ ID NO:28) is a rice transformation vector identical to pGOS2-hpt except that it has the MAR dimer of SEQ ID NO:29 positioned 5' to the GOS2 transcription initiation region and the MAR dimer of SEQ ID NO:26 positioned 3' to the nos 3' UTR.

A schematic representation of the ArGOS2Af construct is shown in FIG 2.

10 B. Transformation of Rice

For initiation of embryogenic callus, mature seeds of a *Japonica* cultivar, Taipei 309, were dehusked and surface-sterilized in 70% ethanol for 5-7 min. followed by soaking 30-45 min in 25% commercial bleach (2.6% sodium hypochlorite) 15 with 0.02% Tween™ 20 (ICI Americas, Inc.) under vacuum. The seeds were then rinsed 5 times in sterile distilled water and placed on filter paper before transferring to induction media (NB). The NB medium consisted of N6 macro elements (Chu, 1978), B5 micro elements and vitamins (Gamborg *et al.*, 1968), 20 300 mg/l casein hydrolysate, 500 mg/l L-proline, 500 mg/l L-glutamine, 30 g/l sucrose, 2 mg/l 2,4-dichloro-phenoxyacetic acid (2,4-D), and 2.5 g/l Gelrite™ (Merck & Co., Rawhay, NJ) with the pH adjusted to 5.8. The mature seed cultured on induction media were incubated in the dark at 28° C for three 25 weeks. Primary callus induced from the scutellar region of mature embryo was transferred to fresh NB medium for further maintenance and thereafter maintained on a two week subculture period.

30 To prepare DNA for blasting, about 140 µg of plasmid DNA (pGOS2-hpt or pArGOSAf-hpt) was precipitated onto 60 mg of gold particles. The plasmid DNA was precipitated onto 1.5-3.0 micron (Aldrich Chemical Co., Milwaukee, WI) or 1.0 micron gold particles (Bio-Rad Laboratories, Hercules, CA). The precipitation mixture included 60 mg of pre-washed gold 35 particles, 300 µl of water/DNA (140 µg), 74 µl of 2.5 M CaCl<sub>2</sub>, and 30 µl of 0.1 M spermidine. After adding the components in

the above order, the mixture was vortexed immediately, and allowed to settle for 2-3 min. The supernatant was pipetted off and discarded. The DNA-coated gold particles were resuspended in 1 ml of 100% ethanol and diluted to 17.5 mg 5 DNA/7.5 mg gold per ml of ethanol for use in blasting experiments.

For helium blasting, actively growing embryogenic callus cultures, 2-4 mm in size, were subjected to a high osmoticum treatment by placing callus on NB medium with 0.2 M mannitol 10 and 0.2 M sorbitol (Vain *et al.*, 1993) for 4 hr before helium blasting. Following osmoticum treatment, callus cultures were transferred to blasting medium (NB+2% agar) and covered with a stainless steel screen (230 micron). Helium blasting involved accelerating the suspended DNA-coated gold particles towards 15 and into the prepared tissue targets. The device used was an earlier prototype to the one described in US Patent No. 5,141,131, which is incorporated herein by reference, although both function in a similar manner. The callus cultures were blasted at different helium pressures (1750-2,250 psi) one to 20 three times per target. After blasting, callus was transferred back to the high osmotic media overnight before placing on selection medium, which consisted of NB medium with 30 mg/l hygromycin. After 2 weeks, the cultures were transferred to fresh selection medium with higher 25 concentrations of selection agent, i.e., NB+50 mg/l hygromycin (Li *et al.*, 1993).

Compact, white-yellow, embryogenic callus cultures, recovered on NB+50 mg/l hygromycin, were regenerated by transferring to pre-regeneration (PR) medium+50 mg/l 30 hygromycin. PR medium consisted of NB medium with 2 mg/l benzyl aminopurine (BAP), 1 mg/l naphthalene acetic acid (NAA), and 5 mg/l abscisic acid (ABA). After 2 weeks of culture in the dark, they were transferred to regeneration (RN) medium. The composition of RN medium is NB medium with 35 3 mg/l BAP, and 0.5 mg/l NAA. The cultures on RN medium were incubated for 2 weeks at 28° C under high fluorescent light

(325-ft-candles). The plantlets with 2 cm shoots were transferred to 1/2 MS medium (Murashige and Skoog, 1962) with 1/2 B5 vitamins, 10 g/l sucrose, 0.05 mg/l NAA, 50 mg/l hygromycin and 2.5 g/l Gelrite™ adjusted to pH 5.8 in GA7 vessels (Magenta Corp., Chicago, IL). When plantlets were established with well-developed root systems, they were transferred to soil [1 part Metro-Mix 360 (Scotts-Sierra Horticultural Products Co., Marysville, OH) and 1 part top soil) and raised in a growth chamber (29/24°C day/night cycle, 5 50-60% humidity, 12 h photoperiod) until they reached a height of 60 cm, at which point 2 leaves were harvested for quantitative GUS analysis, and the plants were transferred to the greenhouse to grow to maturity.

15 C. Southern analyses

Southern analysis was used to identify primary regenerate ( $R_0$ ) rice lines lines that contained intact copies of the specific gene construct.

A DNA probe specific for the coding region of the  $\beta$ -glucuronidase (GUS) gene construct was gel purified with the Qiaex II DNA purification kit (Qiagen Inc., Chatsworth, CA). Radiolabeled probe was prepared using the Ready-To-Go™ DNA labeling beads (Pharmacia LKB, Piscataway, NJ) with 50 microcuries of  $[\alpha^{32}\text{P}]$ dCTP (Amersham Life Science, Arlington Heights, IL).

Leaf material from  $R_0$  rice plants was harvested from two representatives from each line. Genomic DNA from the  $R_0$  plants was prepared from lyophilized tissue as described by Saghai-Maroof *et al.* (1984).

30 Four micrograms of rice DNA was digested with restriction enzyme to release the intact gene construct using conditions suggested by the manufacturer (Bethesda Research Laboratory, Gaithersburg, MD) and separated by agarose gel electrophoresis. The DNA was blotted onto nylon membranes as 35 described by Southern (1975, 1989). Radiolabeled probe DNA was hybridized to the genomic DNA on the blots using 50 ml of

minimal hybridization buffer (10% polyethylene glycol, 7% sodium dodecyl sulfate, 0.6x SSC, 10 mM sodium phosphate, 5 mM EDTA and 100 mg/ml denatured salmon sperm DNA) heated to 60°C and mixed with the denatured radiolabeled probe prior to 5 being added to the blots for overnight hybridization at 60°C. The blots were washed at 60°C in 0.25X SSC and 0.2% SDS for 45 minutes, blotted dry and exposed to XAR-5 film with two intensifying screens overnight.

Southern analysis was conducted on seventy ArGOS2Af R<sub>0</sub> 10 rice lines. The DNA from the R<sub>0</sub> plants was digested with the restriction enzyme *Xba*I which, if the intact gene construct is present, should result in a 5.7 kb hybridization product when radiolabeled with a probe specific for the GUS coding region. The 5.7 kb fragment should consist of the artificial MAR in 15 the reverse orientation, the GOS2 promoter, the GUS coding region, the nos 3' UTR and the artificial MAR in the forward orientation. The expected 5.7 kb hybridization product was detected in twenty-five of the seventy rice lines. All of the twenty-five lines had multiple hybridization products and two 20 of the lines had identical complex hybridization patterns indicating that they are probably from the same transformation event.

The non-Mar control lines, GOS2, were also analyzed by 25 Southern analysis. The DNA from forty-eight GOS2 R<sub>0</sub> lines was digested with the restriction enzymes *Eco*RI and *Xba*I which, if the intact gene is present, should result in a 4.4 kb hybridization product when radiolabeled with a probe specific for the GUS coding region. The 4.4 kb fragment would include 30 1.6 kb of the GOS2 promoter, the GUS coding region, the nos 3' UTR and the 35T promoter (the promoter used to drive the selectable marker gene). The expected 4.4 kb hybridization product was detected in twenty-eight of the forty-eight GOS2 lines. Two of the lines had identical hybridization patterns and must have resulted from the same transformation event. 35 Two of the lines contained genetic chimeras.

## D. GUS analysis

Analysis of rice was performed on young leaves of primary transformants, after plants had been grown 6-8 weeks in an environmentally controlled growth chamber and had reached a height of about 60 cm. Two independently regenerated rice plants were analyzed per transformation event. Individual transformants were analyzed by Southern blots to verify the presence of an intact copy of the transgene and determine whether each event displayed unique hybridization patterns, indicating independent transformation events. Plants lacking a complete copy of the transgene, chimeric events, or duplicated integration events were not included in the analysis.

Results of the analysis are reported in FIGS 4 and 5. In FIG 4, error bars represent the standard deviation between the plants for each transformation event. Two samples were independently processed for each plant. In general, the level of expression of GUS in independent rice plants from each transformation event was similar (as demonstrated by the standard deviation of the results shown in FIG 4).

FIG 5 reports the percent of transformation events expressing GUS in the indicated ranges.

EVALUATION OF ARTIFICIAL MAR IN ARABIDOPSISA. *Arabidopsis* Transformation Vectors

Act2/GUS/nos (Act2 transcription initiation region/GUS structural gene/nos 3' UTR) constructs were made for testing in a dicot system (*Arabidopsis*). Three vectors were made:

pAct2-bin (SEQ ID NO:30) is a binary vector containing a Act2/GUS/nos cassette, 19S/NPTII/orf25polyA as a selectable marker, and 35S/GFP/nos as an independent reporter gene.

pArAct2Af-bin (SEQ ID NO:31) is identical to pAct2-bin except that it has the MAR dimer of SEQ ID NO:29 positioned 5' to the Act2 transcription initiation region, and the MAR dimer of SEQ ID NO:26 positioned 3' to the nos 3' UTR.

pAfAct2Af-bin (SEQ ID NO:32) is identical to pAct2-bin except that it has the MAR dimer of SEQ ID NO:26 positioned 5'

to the Act2 transcription initiation region the MAR dimer of SEQ ID NO: 33 positioned 3' to the nos 3' UTR.

These vectors enabled testing of two orientations of the artificial MAR dimer in *Arabidopsis*. A schematic of the 5 pArAct2Af-bin and pAfAct2Af-bin constructs is shown in Figure 3.

B. *Arabidopsis* transformation

*Arabidopsis* transformation was performed according to a 10 protocol provided by Pam Green (van Hoof and Green 1996), which is an adaptation from protocols by Nicole Bechtold (Bechtold *et al.*, 1993), Andrew Bent (Bent *et al.*, 1994) and Takashi Araki (personal communication).

Seeds of ecotype Columbia were planted in 4 inch square 15 pots, covered with window screen mesh, and grown under conditions of 16 hours light/ 8 hours dark at 22°C, fertilizing by subirrigation once a week. The fertilizer consisted of 5 mM KNO<sub>3</sub>, 2.5 mM KPO<sub>4</sub> (pH 5.5), 2 mM MgSO<sub>4</sub>, 2 mM Ca(NO<sub>3</sub>)<sub>2</sub>, 0.05 mM Fe•EDTA, 0.07 mM boric acid, 0.014 mM MnCl<sub>2</sub>, 0.005 mM CuSO<sub>4</sub>, 20 0.001 mM ZnSO<sub>4</sub>, 0.0002 mM NaMoO<sub>4</sub>, and 0.01 mM NaCl. Plants were thinned to 4 plants per pot and grown until several bolts emerged. When plants were ready to transform, the above soil parts were submerged in infiltration medium (2.2 g/l MS salts, 1X B5 vitamins, 50 g/l sucrose, 2.5 mM MES, pH 5.7, 0.044 M 25 benzylaminopurine, 200 ml/l Silwet L-77™ [Osi Specialties, Inc.] containing *Agrobacterium* cells, placed inside a vacuum desiccator under a vacuum of 400 mm Hg (about 17 inches) for 5 minutes. After quickly releasing the vacuum, pots were drained and placed on their sides in a tray covered with 30 plastic wrap to maintain humidity for 24 hours. The next day the pots were uncovered and set upright. Plants were staked individually and after 2 weeks watering was gradually reduced to allow plants to dry out. Seeds were harvested from each plant individually.

35 For selection of transformation events, 1-10 mg seeds per plant were surface sterilized by soaking in 10% bleach for 7

minutes while mixing vigorously, followed by three rinses in sterile water, and placed in a flask containing *Arabidopsis* germination medium (MS salts, MS vitamins, 10% sucrose, 2.5 mM 2-[N-morpholino]ethanesulfonic acid [MES], 30 mg/l kanamycin, 5 50 mg/l vancomycin and 0.1 % Bacto<sup>TM</sup>-Agar [Difco Laboratories, Detroit, MI]). After shaking in continuous light at 90 rpm for 3 days, seeds germinated, and transformants were isolated as green seedlings between 7 and 12 days after germination. Nontransformed seeds produced small bleached seedlings.

10 Transformants were transferred to solid medium (MS salts, B5 vitamins, 10% sucrose, 2.5 mM MES, 15 g/l Phytagar<sup>TM</sup> [Gibco BRL, Gaithersburg, MD], 30 ml/l kanamycin, 50 mg/l vancomycin) in plates for further selection. After one to two weeks, true transformants were transferred to GA7 vessels (MS salts, B5 15 vitamins, 0.3 % sucrose, 2.5 mM MES) for one to two weeks prior to planting in soil for production of T1 seed.

#### C. Southern analyses

20 Southern analysis was used to identify primary regenerate T2 *Arabidopsis* lines that contained intact copies of the specific gene construct.

Pooled samples of *Arabidopsis* leaf tissue were powdered in liquid nitrogen. The ground tissue was then incubated for three minutes in 500  $\mu$ l 2X extraction buffer (2% CTAB, 100 mM 25 Tris-HCl, pH 8.0, 20 mM EDTA, 1.4 M NaCl and 2% 2-mercaptoethanol) at 65°C. Five hundred  $\mu$ l of chloroform/octanol (24:1) was added, the samples were shaken for two minutes, and then spun at 14,000 ' g in a microcentrifuge and the supernatant was removed. The 30 chloroform/octanol extraction was repeated. One ml of precipitation buffer (1% CTAB, 50 mM Tris-HCl, pH 8.0, 10 mM EDTA, and 1% 2-mercaptoethanol) was added to the supernatant and then incubated at room temperature for 60 minutes. The DNA was pelleted by centrifugation at 3500g for 5 minutes in a 35 microcentrifuge. The pellet was drained and resuspended in 200  $\mu$ l 1.0 M NH<sub>4</sub>OAc. One hundred  $\mu$ l 7.5 M NH<sub>4</sub>OAc and 1 ml

isopropanol were added, the samples incubated on ice for 5 minutes and then centrifuged at 14,000 ' g for 5 minutes. The pellet was drained and resuspended in 200  $\mu$ l TE. 100  $\mu$ l 7.5 M NH<sub>4</sub>OAc and 1 ml isopropanol were added and incubated on ice for 5 minutes then centrifuged at 14,000 ' g for 5 minutes. The pellet was drained and rinsed with 70% ethanol and dried in a Speed Vac (Savant Instruments Inc., Farmingdale, NY). The dried pellet was resuspended in 20  $\mu$ l TE (10 mM TRIS, 1 mM EDTA, pH 8.0).

10 Southern analysis was conducted on 29 ArAct2Af T2 lines and 24 AfAct2Af T2 lines. One microgram of DNA from the ArAct2Af plants was digested with the restriction enzyme *Xba*I using conditions suggested by the manufacturer (Bethesda Research Laboratory, Gaithersburg, MD) and separated by 15 agarose gel electrophoresis, which should result in a 4.6 kb hybridization product, if the gene construct is intact, when radiolabeled with a probe specific for the GUS coding region. Similar to the ArGOS2Af rice plants, the 4.6 kb fragment should consist of the artificial MAR in the reverse 20 orientation, the Act2 promoter, the GUS coding region, the nos 3' UTR and the artificial MAR in the forward orientation. The DNA was blotted onto nylon membranes as described by Southern (1975, 1989). Radiolabeled probe DNA was hybridized to the genomic DNA on the blots using 50 ml of minimal hybridization 25 buffer (10% polyethylene glycol, 7% sodium dodecyl sulfate, 0.6x SSC, 10 mM sodium phosphate, 5 mM EDTA and 100 mg/ml denatured salmon sperm DNA) was heated to 60°C and mixed with the denatured radiolabeled probe prior to being added to the blots for overnight hybridization at 60°C. The blots were 30 washed at 60°C in 0.25X SSC and 0.2% SDS for 45 minutes, blotted dry and exposed to XAR-5 film with two intensifying screens overnight.

35 The expected 4.6 kb hybridization product was detected in twenty-six of the twenty-nine ArAct2Af lines. A second Southern blot was generated to determine the copy number of the ArAct2Af construct. The ArAct2Af DNA was digested with

the restriction enzymes *Sst*I and *Xho*I which cut the construct near the right and left borders of the T DNA. The blots were radiolabeled with probes specific for the artificial MAR and the DNA from the left border to the *Xho*I site 800 bp downstream. A single copy of the ArAct2Af construct will have three hybridization products: two fragments of unknown size, consisting of the left and right border DNA, and the 8.9 kb fragment which is the DNA internal to the borders. Twenty-two of the twenty-nine lines had three or fewer hybridization products, indicating that a single copy of the ArAct2Af construct was present.

The DNA from the AfAct2Af plants was digested with the restriction enzyme *Xba*I which, if the construct remains intact, should result in a 5.7 kb hybridization product when radiolabeled with a probe specific for the GUS coding region. The 5.7 kb fragment should consist of the artificial MAR in the forward orientation, the Act2 promoter, the GUS coding region, the nos 3' UTR and the artificial MAR in the forward orientation. It also includes the green fluorescent protein coding region and the nos 3' UTR. The expected 5.7 kb hybridization product was detected in all of the twenty-four AfAct2Af lines.

A second Southern blot was generated to determine the copy number of the AfAct2Af construct. The AfAct2Af DNA was digested with the restriction enzymes *Sst*I and *Xho*I which cut the construct near the right and left borders of the T DNA. The blots were radiolabeled with probes specific for the artificial MAR and the DNA from the left border to the *Xho*I site 800 bp downstream. A single copy of the AfAct2Af construct will have three hybridization products: two fragments of unknown size, consisting of the left and right border DNA and the 8.9 kb fragment which is the DNA internal to the borders. Fifteen of the twenty-four lines had three or fewer hybridization products indicating that a single copy of the AfAct2Af construct was present.

The non-Mar control lines, Actbin, were also analyzed by Southern analysis. The DNA from thirty-four Actbin T2 lines was digested with the restriction enzyme *Pst*I which should, if the construct remains intact, result in a 3.4 kb hybridization product when radiolabeled with a probe specific for the GUS coding region. The 3.4 kb fragment should consist of the *Act2* promoter, the GUS coding region, and the nos 3' UTR. The expected 3.4 kb hybridization product was detected in thirty of the thirty-four Actbin lines. A second Southern blot was generated to determine the copy number of the Actbin construct. The DNA from the Actbin lines was digested with the restriction enzymes *Sst*I and *Xho*I which cut the construct near the right and left borders of the T DNA. The blots were radiolabeled with probes specific for the nos 3'UTR and the DNA from the left border to the *Xho*I site 800 bp downstream. A single copy of the Actbin construct will have three hybridization products: two fragments of unknown size, consisting of the left and right border DNA and the 8.2 kb fragment which is the DNA internal to the borders. Nine of the thirty-four lines had three or fewer hybridization products indicating that a single copy of the Actbin construct was present.

#### D. GUS analysis

For growing *Arabidopsis*, T2 seed was germinated *in vitro* on MS medium containing 90 mg/l kanamycin and 3 week old kanamycin resistant seedlings were harvested. Two batches of 30 seedlings per transformation event were used for GUS analysis and additional seedlings were used to extract DNA.

For analyses of GUS activity, leaf samples were powdered in liquid nitrogen and samples of approximately 400  $\mu$ l of tissue were placed in microfuge tubes. Two independent samples from each leaf sample was processed. The tissue was either stored at -70°C or extracted immediately. GUS was extracted by mixing the powdered tissue with GUS lysis buffer (Jefferson *et al.*, 1987) modified by the addition of 1%

polyvinylpolypyrrolidone (hydrated in the buffer for at least one hour) and 20% glycerol. After incubation on ice for at least 10 min, the samples were centrifuged at 16,000 ' g for 10 min. The supernatants were recovered and centrifuged a second time as described above. The supernatants were recovered and frozen on dry ice and stored at -70°C. Experiments showed that GUS activity was stable for at least 4 freeze-thaw cycles when stored in the buffer described above (W.M. Ainley, unpublished). GUS activity was measured using a GUS-Light™ kit (Tropix, Inc., Bedford, MA). Five ml samples of undiluted extract or of extract diluted so that the luminescence was within the range measured by the luminometer was added to 195 ml of the GUS-Light™ Reaction Buffer. Luminescence was integrated for 5 sec after a 5 sec delay. Protein was measured with the assay developed by Bradford (1976) using human serum albumin as the standard. GUS activity was normalized between experiments using a GUS standard obtained from SIGMA. The amount of plant protein in the standards and plant samples was the same; protein was adjusted where necessary using extracts of nontransformed plants.

FIGS 6 and 7 report the results the GUS analysis. FIG 6 reports expression observed for independent transformation events expressing either the base, non-MAR construct (Actbin) or the base construct flanked by the artificial MAR in the indicated orientation (ArAct2Af or Af-Act-Af). Standard deviations indicate the variance between plants harvested from different plates. Arrows indicate the relative orientations of the MARs.

E.

In FIG 7, percent of transformation events expressing GUS in the indicated ranges is shown.

E. Characterization of transgenic plants expressing the reporter gene constructs

T2 *Arabidopsis* plants were analyzed. The plants were evaluated for segregation of kanamycin resistance to determine

insert copy number. A few events did not fall into either one or two insert categories as determined by chi square analyses. Of the remaining plants, 72% had a single insert. Most of the inserts had multiple copies of the transgene. Although 5 the *Arabidopsis* transformation events were grown under controlled environments, there were some occasional differences in the relative growth of plants between the duplicate plates. In those cases, the events were either not used or were grown again. The coefficient of variance of the 10 expression determined from duplicate plates range of between 1 and 46%, with 89 percent below 20 percent (Figure 6).

Generally, all *Arabidopsis* transformation events tested for a construct were grown and analyzed together. Although the growth of the plants was under controlled environments, 15 the possibility remained that the differences observed between transformation events expressing the constructs was due to environmental differences occurring between different experiments. To eliminate this possibility, three of the highest expressing events from the three sets of *Arabidopsis* 20 transformation events were grown together and reanalyzed. This analyses confirmed the earlier differences between the sets of transformation events.

25 SUMMARY OF EFFECTS OF THE ARTIFICIAL MAR ON TRANSGENE  
EXPRESSION

In both rice and *Arabidopsis*, the average expression level of transformation events expressing the MAR-containing constructs expressed at a higher level than those lacking the 30 MAR elements (Table 3). In *Arabidopsis*, orientation of the MARs tested influenced the level of expression. Plants containing constructs in which the MARs were in the same orientation on either side of the GUS gene construct expressed GUS at higher levels than plants containing constructs in 35 which the MARs were oriented in opposite orientations.

There appeared to be a proportionally higher expression level in the higher expressors than in the lower expressors in

each set of transformation events. To document this, expression of the upper quartile of the expressors was compared (Table 3). Based on this data, the upper quartile of the transformation events expressing the AfAct2Af construct produce GUS protein at levels 5.6 times higher than in the upper quartile of events expressing the Actbin construct. The artificial MARs in opposite orientations in both rice and *Arabidopsis* enhance expression approximately two-fold over the respective constructs lacking MARs.

10

Table 3

Comparison of the expression of transformation events expressing either the base constructs or base constructs flanked by the artificial MARs.

|  | CONSTRUCT            |                      |                      |                      |                      |
|--|----------------------|----------------------|----------------------|----------------------|----------------------|
|  | GOS2                 | ArGOS2Af             | ActBin               | Ar-Act-Af            | Af-Act-Af            |
| species transformed                        | rice                 | rice                 | <i>Arabidopsis</i>   | <i>Arabidopsis</i>   | <i>Arabidopsis</i>   |
| method of transformation                   | particle bombardment | particle bombardment | <i>Agrobacterium</i> | <i>Agrobacterium</i> | <i>Agrobacterium</i> |
| number of transformation events analyzed   | 28                   | 25                   | 28                   | 21                   | 22                   |
| average                                    | 357                  | 713                  | 2,313                | 3,673                | 9,042                |
| median                                     | 95                   | 317                  | 2,205                | 2,772                | 5,730                |
| upper quartile range                       | 258-3,076            | 1,674-2,661          | 3,047-5,311          | 6,240-10,614         | 15,595-27,179        |
| upper quartile average                     | 1,169                | 2,099                | 4,056                | 7,812                | 22,688               |
| relative average expression                | 1.0                  | 2.0                  | 1.0                  | 1.6                  | 4.0                  |
| relative upper average quartile expression | 1.0                  | 1.8                  | 1.0                  | 1.9                  | 5.6                  |

15 averages for the upper quartile of transformation event expression levels were statistically different (p is less than or equal to 0.05) based on t-test analyses. (Gopal K. Kanji 1995)

Previous published studies (reviewed by Holmes-Davis and Comai, 1998) have shown that, with the exception of one MAR, all MARs tested to date enhance expression of reporter genes. 20 This study represents the first report that a MAR constructed using elements found preferentially in MARs can enhance expression in plant species representing both monocotyledonous and dicotyledonous plants.

## REFERENCES

5    **Allen, G.C., Hall, G., Jr., Michalowski, S., Newman, W., Spiker, S., Weissinger, A.K. and Thompson, W.F.** (1996) High-level transgene expression in plant cells: Effects of a strong scaffold attachment region from tobacco. *Plant Cell* **8**, 899-913.

10    **Allen, G.C., Hall, G.E., Jr., Childs, L.C., Weissinger, A.K., Spiker, S. and Thompson, W.F.** (1993) Scaffold attachment regions increase reporter gene expression in stably transformed plant cells. *Plant Cell* **5**, 603-613.

15    **An, Y.-Q., McDowell, J.M., Huang, S., McKinney, E.C., Chambliss, S. and Meagher, R.B.** (1996) Strong constitutive expression of the *Arabidopsis ACT2/ACT8* actin subclass in vegetative tissues. *Plant J.* **10**, 107-121.

20    **Avramova, Z. and Bennetzen, J.L.** (1993) Isolation of matrices from maize leaf nuclei: identification of a matrix-binding site adjacent to the *Adh 1* gene. *Plant Mol. Biol.* **22**, 1135-1143.

25    **Avramova, Z., SanMiguel, P., Georgieva, E. and Bennetzen, J.L.** (1995) Matrix attachment regions and transcribed sequences within a long chromosomal continuum containing maize *Adh1*. *Plant Cell* **7**, 1667-1680.

30    **Bode, J., Kohwi, Y., Dickinson, L., Joh, Y., Klehr, D., Mielke, C. and Kohwi-Shigematsu, T.** (1992) Biological significance of unwinding capability of nuclear matrix-associated DNAs. *Science* **255**, 195-197.

35

**Bode, J., Schlake, T., Rios-Ramirez, M., Mielke, C., Stengert, M., Kay, V. and Klehr-Wirth, D.** (1995) Scaffold/matrix-attached regions: Structural properties creating transcriptionally active loci. *Int. Rev. of Cytol.* **162A**, 389-454.

**Bonifer, C., Vidal, M., Grosveld, F. and Sippel, A.E.** (1990) Tissue specific and position independent expression of the complete gene domain for chicken lysozyme in transgenic mice. *EMBO J.* **9**, 2843-2848.

**Boulikas, T.** (1995) Chromatin domains and the prediction of MAR sequences. *Int. Rev. of Cytol.* **162A**, 279-388.

**15 Boulikas, T. and Kong, C.F.** (1993) Multitude of inverted repeats characterize a class of anchorage sites of chromatin loops to the nuclear matrix. *J. Cell. Biochem.* **53**, 1-12.

**20 Bradford, M.M.** (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* **72**, 248-254.

**25 Breyne, P., Van Montagu, M., Depicker, A. and Gheysen, G.** (1992) Characterization of a plant scaffold attachment region in a DNA fragment that normalizes transgene expression in tobacco. *Plant Cell* **4**, 463-471.

**30 Breyne, P., Van Montagu, M. and Gheysen, G.** (1994) The role of scaffold attachment regions in the structural and functional organization of plant chromatin. *Transgenic Res.* **3**, 195-202.

**35 Buhrmester, H., von Kries, J.P. and Stratling, W.H.** (1995) Nuclear matrix protein ARBP recognizes a novel DNA sequence motif with high affinity. *Biochemistry* **34**, 4108-4117.

De Pater, B.S., van der Mark, F., Rueb, S., Katagiri, F.,  
Chua, N-H., Schilperoort, R.A. and Hensgens, L.A.M. (1992)

The promoter of the rice gene GOS2 is active in various  
5 different monocot tissues and binds rice nuclear factor ASF-1.  
*Plant J.* **2**, 837-844.

Dennis, E.S., Gerlach, W.L., Pryor, A.J., Bennetzen, J.L.,  
Inglis, A., Llewellyn, D., Sachs, M.M., Ferl, R.J. and

10 Peacock, W.J. (1984) Molecular analysis of the alcohol  
dehydrogenase (*Adh1*) gene of maize. *Nucl. Acids Res.* **12**, 3983-  
4000.

15 Depicker, A., Stachel, S., Dhaese, P., Zambryski, P. and  
Goodman, H.M. (1982) Nopaline synthase: Transcript mapping  
and DNA sequence. *J. Mol. Appl. Genet.* **1**, 561-573.

20 Dickinson, L.A., Joh, T., Kohwi, Y. and Kohwi-Shigematsu, T.  
(1992) A tissue-specific MAR/SAR DNA-binding protein with  
unusual binding site recognition. *Cell* **70**, 631-645.

Dillon, N. and Grosvenor, F. (1994) Chromatin domains as  
potential units of eukaryotic gene function. *Curr Opinion Gen  
Dev* **4**, 260-264.

25 Eggert, H. and Jack, R.S. (1991) An ectopic copy of the  
*Drosophila ftz* associated SAR neither reorganizes local  
chromatin structure nor hinders elution of a chromatin  
fragment from isolated nuclei. *EMBO J.* **10**, 1237-1243.

30 Forrester, W.C., van Genderen, C., Jenuwein, T. and  
Grosschedl, R. (1994) Dependence of enhancer-mediated  
transcription of the immunoglobulin m gene on nuclear matrix  
attachment regions. *Science* **265**, 1221-1225.

**Franck, A., Guille, H., Jonard, G., Richards, K. and Hirth, L.** (1980) Nucleotide sequence of cauliflower mosaic virus DNA. *Cell* **21**, 285-294.

5 **Gritz, L. and Davies, J.** (1983) Plasmid-encoded hygromycin B resistance: the sequence of hygromycin B phosphotransferase gene and its expression in *Escherichia coli* and *Saccharomyces cerevisiae*. *Gene* **25**, 179-188.

10 **Hall, G., Jr., Allen, G.C., Loer, D.S., Thompson, W.F. and Spiker, S.** (1991) Nuclear scaffolds and scaffold-attachment regions in higher plants. *Proc. Natl Acad. Sci. USA* **88**, 9320-9324.

15 **Jackson, D.A.** (1995) Nuclear organization: uniting replication foci, chromatin domains and chromosome structure. *Bioessays* **17**, 587-591.

20 **Jefferson, R.A.** (1987) Assaying chimeric genes in plants: The GUS gene fusion system. *Plant Mol. Biol. Rep.* **5**, 387-405.

**Jefferson, R.A., Burgess, S.M. and Hirsh, D.** (1986)  $\beta$ -Glucuronidase from *Escherichia coli* as a gene-fusion marker. *Proc. Natl Acad. Sci. USA* **83**, 8447-8451.

25 **Jefferson, R.A., Kavanagh, T.A. and Bevan, M.W.** (1987) GUS fusions:  $\beta$ -glucuronidase as a sensitive and versatile gene fusion marker in higher plants. *EMBO J.* **6**, 3901-3907.

30 Kanji, G. K., (1995) *100 Statistical Tests*, Sage Publications Inc., Thousand Oaks CA

**Kriz, A.L., Boston, R.S. and Larkins, B.A.** (1987) Structural and transcriptional analysis of DNA sequences flanking genes

that encode 19 kilodalton zeins. *Mol. Gen. Genet.* **207**(1), 90-98.

**Lewin, B.** (1994) Chromatin and gene expression: Constant

5 questions, but changing answers. *Cell* **79**, 397-406.

**McKnight, R.A., Shamay, A., Sankaran, L., Wall, R.J. and**

**Hennighausen, L.** (1992) Matrix-attachment regions can impart

position-independent regulation of a tissue-specific gene in

10 transgenic mice. *Proc. Natl Acad. Sci. USA* **89**, 6943-6947.

**Mlynarova, L., Jansen, R.C., Conner, A.J., Stiekema, W.J. and**

**Nap, J-P.** (1995) The MAR-mediated reduction in position effect

can be uncoupled from copy number-dependent expression in

15 transgenic plants. *Plant Cell* **7**, 599-609.

**Mlynarova, L., Loonen, A., Heldens, J., Jansen, R.C., Keizer,**

**P., Stiekema, W.J. and Nap, J-P.** (1994) Reduced position

effect in mature transgenic plants conferred by the chicken

20 lysozyme matrix-attachment region. *Plant Cell* **6**, 417-426.

**Morrison, D.A., Trombe, M.C., Hayden, M.K., Waszak, G.A. and**

**Chen, J.** (1984) Isolation of transformation-deficient

Streptococcus pneumoniae mutants defective in control of

25 competence, using insertion-duplication mutagenesis with the

erythromycin resistance determinant of pAMB1. *J. Bacteriol.*

**159**, 870-876.

**Mullineaux, P.M., Donson, J., Morris-Krsinich, B.A.M.,**

30 **Boulton, M.I. and Davies, J.W.** (1984) The nucleotide sequence of maize streak virus DNA. *EMBO J.* **3**, 3063-3068.

**Nagagomi, K., Kohwi, Y., Dickinson, L.A. and Kohwi-**

**Shigematsu, T.** (1994) A novel DNA binding motif in the nuclear

matrix attachment DNA-binding protein SATB1. *Mol. Cell. Biol.* **14**, 1852-1860.

**Neznanov, N., Kohwi-Shigematsu, T. and Oshima, R.G.** (1996)

5 Contrasting effects of the SATB1 core nuclear matrix attachment region and flanking sequences of the keratin 18 gene in transgenic mice. *Mol. Biol. Cell* **7**, 541-552.

**Quigley, F., Brinkmann, H., Martin, W.F. and Cerff, R.** (1989)

10 Strong functional GC pressure in a light-regulated maize gene encoding subunit GAPA of chloroplast glyceraldehyde-3-phosphate dehydrogenase: implications for the evolution of GAPA pseudogenes. *J. Molec. Evol.* **29(5)**, 412-421.

15 **Sander, M. and Hsieh, T-S.** (1985) Drosophila topoisomerase II double-strand cleavage: Analysis of DNA sequence homology at the cleavage site. *Nucl. Acids Res.* **13**, 1057-1072.

**Schöffl, F., Schroder, G., Kliem, M. and Rieping, M.** (1993)

20 An SAR sequence containing 395 bp DNA fragment mediates enhanced, gene-dosage-correlated expression of a chimaeric heat shock gene in transgenic tobacco plants. *Transgenic Res.* **2**, 93-100.

25 **Siebert, P.D., Chenchik, A., Kellogg, D.E., Lukyanov, K.A. and Lukyanov, A.S.** (1995) An improved PCR method for walking in uncloned genomic DNA. *Nucl. Acids Res.* **23**, 1087-1088.

30 **Slatter, R.E., Dupree, P. and Gray, J.C.** (1991) A scaffold-associated DNA region is located downstream of the pea plastocyanin gene. *Plant Cell* **3**, 1239-1250.

35 **Southern, E.** (1975) Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J. Mol. Biol.* **98**, 503.

**Southern, E.** (1979) Gel electrophoresis of restriction fragments. *Methods of Enzymol.* **68**, 152.

5 **Spiker, S. and Thompson, W.F.** (1996) Nuclear matrix attachment regions and transgene expression in plants. *Plant Physiol.* **110**, 15-21.

10 **Stein, G.S., Lian, J.B., Dworetzky, S.I., Owen, T.A., Bortell, R., Bidwell, J.P. and van Wijnen, A.J.** (1991) Regulation of transcription-factor activity during growth and differentiation: Involvement of the nuclear matrix in concentration and localization of promoter binding proteins. *J. Cell. Biochem.* **47**, 300-305.

15 **Stief, A., Winter, D.M., Stratling, W.H. and Sippel, A.E.** (1989) A nuclear DNA attachment element mediates elevated and position-independent gene activity. *Nature* **341**, 343-345.

20 **Travers, A.A.** (1990) Why bend DNA. *Cell* **60**, 177-180.

25 **Van der Geest, A.H.M., Hall, G.E., Jr., Spiker, S. and Hall, T.C.** (1994) The b-phaseolin gene is flanked by matrix attachment regions. *Plant J.* **6**, 413-423.

30 **Van der Geest, A.H.M. and Petolino, J.F.** (1998) Expression of a modified green fluorescent protein gene in transgenic maize plants and progeny. *Plant Cell Rep.* **17**, 760-764.

**von Kries, J.P., Buhrmester, H. and Stratling, W.H.** (1991) A matrix/scaffold attachment region binding protein; Identification, purification and mode of binding. *Cell* **64**, 123-135.

**Wolffe, A.P.** (1994) The transcription of chromatin templates.  
*Curr Opinion Gen Dev* **4**, 245-254.

**Yanisch-Perron, C., Vieira, J. and Messing, J.** (1985)

5 Improved M13 phage cloning vectors and host strains:  
Nucleotide sequences of the M13mp18 and pUC 19 vectors. *Gene*  
**33**, 103-119.

## Claims

1. An isolated DNA molecule comprising bp 11 to 309 of SEQ ID NO: 1.

5

2. A DNA construct comprising, in the 5' to 3' direction: a transcription initiation region functional in plant cells, a structural gene operatively associated with the transcription initiation region, a 3' untranslated region, and a matrix attachment region comprised of bp 11 to 309 of SEQ ID NO: 1 positioned either 5' to said transcription initiation region or 3' to said structural gene.

10

3. A DNA construct of claim 2 wherein said matrix attachment region comprises two or more tandem copies of bp 11 to 309 of SEQ ID NO:1.

15

4. A DNA construct of claim 2 wherein a first matrix attachment region comprised of bp 11 to 309 of SEQ ID NO: 1 is positioned 5' to said transcription initiation region and a second matrix attachment region comprised of bp 11 to 309 of SEQ ID NO: 1 is positioned 3' to said structural gene.

20

5. A DNA construct of claim 4 wherein each of said matrix attachment regions is comprised of two or more tandem copies of bp 11 to 309 of SEQ ID NO:1.

25

6. A method of making recombinant plant cells having increased expression of structural genes introduced therein which comprises:

30

transforming a plant cell capable of regeneration with a DNA construct of claim 2.

35

7. A method of claim 6 wherein the matrix attachment region in said DNA construct comprises two or more tandem copies of bp 11 to 309 of SEQ ID NO:1.

8. A method of claim 6 wherein the DNA construct includes a first matrix attachment region comprised of bp 11 to 309 of SEQ ID NO: 1 positioned 5' to said transcription initiation region and a second matrix attachment region comprised of bp 11 to 309 of SEQ ID NO: 1 positioned 3' to said structural gene.

5

9. A method of claim 8 wherein said first and second matrix attachment regions are each comprised of two or more tandem copies of bp 11 to 309 of SEQ ID NO:1.

10

10. A transformed plant cell containing DNA of bp 11 to 309 of SEQ ID NO:1.




FIG 1




FIG 3




FIG 2




FIG 4

2 / 4




FIG 5




FIG 6




FIG 7

## SEQUENCE LISTING

<110> van der Geest, Apolonia H. M.  
Ainley, W. Michael  
Cowen, Neil W.  
Welter, Mary E.  
Woosley, Aaron T

<120> ARTIFICIAL MATRIX ATTACHMENT REGION FOR INCREASING  
EXPRESSION OF GENES INTRODUCED IN PLANT CELLS

<130> 50545

<140>  
<141>

<150> US 60/110,437  
<151> 1998-12-01

<160> 33

<170> PatentIn Ver. 2.0

<210> 1  
<211> 327  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: artificial MAR

<400> 1  
ttccagatct cgatatcttt aatttcta atat tagaa ggggtt taga tttatata t 60  
acgtccatga aaaaaaattt taaaacgata ggccagctcc aaagaatata ttcccttgg 120  
gctggtaat attaattttt cctctccctt ctaatatatt ttgcataatt ttgattcct 180  
ttttaagatt atatagctcc atgccaagct gacttcctaa tatattttat gaagtcagca 240  
aaattttaa aagcacact tgacttggta tatatttata aatgtttaaa cttaatttca 300  
cttggtaaaac tcttgcagga tccgtgc 327

<210> 2  
<211> 15  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: ARBP site

<400> 2  
atttcasttg taaaa 15

<210> 3  
<211> 13  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: ARBP site

<400> 3  
tgcagggtgtc ctt 13

<210> 4  
<211> 13  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: ARBP site

<400> 4  
tgggggtgtaaaa 13

<210> 5  
<211> 11  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: ATF site

<400> 5  
tgacgtccat g 11

<210> 6  
<211> 5  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: BEAF-32 site

<400> 6  
cgata 5

<210> 7  
<211> 13  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: topoisomerase II site

<400> 7  
cnngyngktn yny 13

<210> 8  
<211> 16  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: topoisomerase II site

<400> 8  
asmatgcgyw yatcrt 16

<210> 9  
<211> 15  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: topoisomerase  
II site

<400> 9  
gtnwakattn atnnr 15

<210> 10  
<211> 9  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: unwinding  
sequence

<400> 10  
aatatattt 9

<210> 11  
<211> 11  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: SATB1 site

<400> 11  
ttctaatata t 11

<210> 12  
<211> 9  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: SATB1 site

<400> 12  
ataatcttc 9

<210> 13  
<211> 10  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: SATB1 site

<400> 13  
ttattattta 10

<210> 14  
<211> 8  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: SATB1 site

<400> 14  
tataaaaa 8

<210> 15  
<211> 11  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: SATB1 site

<400> 15  
aagattatat a 11

<210> 16  
<211> 17  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: SATB1 site

<400> 16  
ttttaatgag ataataa 17

<210> 17  
<211> 10  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: SATB1 site

<400> 17  
tataatcttc 10

<210> 18  
<211> 13  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: bending DNA site

<400> 18  
aaannnnnnn aaa 13

<210> 19  
<211> 7  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: exemplary oligo A/T tract

<400> 19  
aaaaaaaa 7

<210> 20

<211> 54  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: MAR-A  
oligonucleotide

<400> 20  
ttccagatct cgatatcttt aatttctaat atattttagaa ggggtttaga ttta 54

<210> 21  
<211> 63  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: MAR-B  
oligonucleotide

<400> 21  
gaagggggtt agatttatat atgacgtcca tgaaaaaaaaa tttaaaacg ataggccagc 60  
tcc 63

<210> 22  
<211> 63  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: MAR-C  
oligonucleotide

<400> 22  
cgataggcca gctccaaaga atatatttcc ctggagctgg taaatattaa ttagtcctct 60  
ccc 63

<210> 23  
<211> 75  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: MAR-D  
oligonucleotide

<400> 23  
cttggcatgg agctataataa tctaaaaag gaatcaaaaa tatcgaaaaa tatattagaa 60  
gggagaggac taatt 75

<210> 24  
<211> 74  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: MAR-E  
oligonucleotide

<400> 24  
ccaaagtcaag tgtgctttt aaaaattttg ctgacttcat aaaatatatt aggaagttag 60

cttggcatgg agct 74

<210> 25  
<211> 74  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: MAR-F  
oligonucleotide

<400> 25  
gcacgatcc tgcaagagtt ttacaagtga aattaagttt aaacatttat aaatatatac 60  
caagtaagt gtgc 74

<210> 26  
<211> 668  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: 3' MAR in  
ArActAf

<400> 26  
gggggatctc gatatctta atttctaata tatttagaag gggtttagat ttatatatga 60  
cgtccatgaa aaaaaattt aaaacgatag gccagctcca aagaatataat ttccctggag 120  
ctggtaataa ttaattagtc ctctcccttc taatataattt ttgcataattt ttgatccctt 180  
tttaagatta tatagctcca tgccaagctg acttcctaattt atattttatg aagtcagcaa 240  
aattttaaa aagcacacat gacttggtat atatttataa atgtttaaac ttaatttac 300  
ttgtaaaact cttgcaggat ctcgatatct ttaatttcta atatatttag aagggttta 360  
gatttatata tgacgtccat gaaaaaaaaat tttaaaacga taggcccagct ccaaagaata 420  
tatttcctg gagctggtaa atattaatta gtcctctccc ttctaatata ttttcgata 480  
tttttatttc ctttttaaga ttatatagtt ccatgccaag ctgacttcctt aatattttt 540  
atgaagtcag caaaattttt aaaaaggcaca cttgacttgg tatataattt taaatgttta 600  
aacttaattt cacttgtaaa actcttgcag gatccacttag ttctagagcg gccgcaccg 660  
cggtgag 668

<210> 27  
<211> 9361  
<212> DNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence:pGOS2-hpt

<400> 27  
gshttcgcgc gtttcggta tgacggtaa aacctctgac acatgcagct cccggagacg 60  
gtcacagctt gtctgtaaac ggtatgcggg agcagacaag cccgtcaggg cgcgtcagcg 120  
ggtgttggcg ggtgtcgaaa ctggcttaac tatgcgcac cagagcagat tgtaactgaga 180  
gtgcaccata tgcgggtgtaa aataccgcac agatgcgtaa ggagaaaata ccgcattcagg 240  
cgccattcgc cattcaggct ggcgaactgt tgggaaggc gatcggcgc ggcctcttcg 300  
ctattacgcc agctggcgaa agggggatgt gctgcaaggc gattaagttt ggttaacgcca 360  
gggtttccc agtcacgcg ttgtaaaacg acggccagtg aattcccgat cgatcttagta 420  
acataagatga caccgcgcgc gataattttt cctagttgc gcgttatatt ttgtttctt 480  
tcgcgtatta aatgtataat tgcgggactc taatcataaa aacccatctc ataaataacg 540  
tcatgcatta catgttaattt attacatgtt taacgttaattt caacagaaat tatatgataa 600  
tcatgcgaag accggcaaca ggattcaatc ttaagaaact ttattgccaa atgttgaac 660  
gatcggggaa attcgagctc ttactattcc ttgcctcg gacgagtgtct ggggcgtcgg 720  
tttccactat cggcgagttac ttctacacag ccatcgtcc agacggccgc gcttctgcgg 780  
cgatgttgcg ttttttttttccgac agtcccgctt ccggatcgga cgattgcgtc gcatcgaccc 840

tgcgccaag ctgcatacatc gaaattgccg tcaaccaagc tctgatagag ttggtaaga 900  
 ccaatgcgga gcatatacgc ccggagccgc ggcgatcctg caagctccgg atgcctccgc 960  
 tcgaagtagc gcgtctgctg ctccatacaa gccaaccacg gcctccagaa gaagatgttq 1020  
 ggcacctcgat attggaaatc cccgaacatc gcctcgctcc agtcaatgac cgctgttatg 1080  
 cggcattgt cgtcaggac attgttggag cggaaatccg cgtgcacgag gtgcggact 1140  
 tcgggcagt cctcgcccc aagcatcagc tcatcgagag cctgcgcgac ggacgcactg 1200  
 acgggtcgat ccatcacagt ttgccagtga tacacatggg gatcagcaat cgcgcatatg 1260  
 aaatcacgcc atgttagtga ttgaccgatt ccttgcggtc cgaatgggcc gaaccgcctc 1320  
 gtctgctaa gatcgccgc agcgatcga tccatggcct ccgcgaccgg ctgcagaaca 1380  
 gcggcagtt cggtttcagg caggtctgc aacgtgacac cctgtgcacg gcgaggatg 1440  
 caataggtca ggctctcgct gaattcccc aatgtcaagca ctccggaaat cgggagcgcg 1500  
 gccgatgcaa agtgccgata aacataacga tctttaga aaccatcgcc gcagcttatt 1560  
 acccgccagga catatccacg ccctcctaca tcgaagctga aagcacgaga ttcttcgccc 1620  
 tccgagagct gcatcaggcgg ggagacgctg tcgaacttt cgatcagaaa ctctcgaca 1680  
 gacgtcgccg tgagttcagg cttttcata tctcacgaga tctgtatccc gtgcctggaa 1740  
 caaatggccc cagatccgatc cgcaagtcga cgggtccagg aaagcaatcg catagtcaag 1800  
 ctaaatcatc aagatgcaaa ctttcgccc ttgctaaaca cgtaaaatt cgaatggaca 1860  
 tgtgtggagc agcaaaggag ctittccccaa aattactcaa cgaatcataa accaagatta 1920  
 gtcagatcaa gagacagagg agaaacaagg cggaccttgc cacttgatct ggggattgcc 1980  
 ctgacttgggt ggtgctggta tattagggat agggttgctc ctatccacag cttgtccacc 2040  
 aaatatcagc tcctccgtgg actgcctgt cgagccttca gctggatcct ctagagtccc 2100  
 ccgtttctc tccaaatgaa atgaacttcc ttatataagag gaagggtctt gcgaaggata 2160  
 gtgggattgt gggtcatccc ttacgtcagt ggagatatca catcaatcca ctgcgttga 2220  
 agacgtgggt ggaacgtctt cttttccac gatgctcctc gtgggtgggg gtccatctt 2280  
 gggaccactg tcggcagagg catcttcaac gatggcctt ctttatcgc aatgatggca 2340  
 tttttaggag ccacccctt tttccactat ctgcacaata aagtgcacaga tagctggca 2400  
 atggaatccg aggagggttc cggatattac ctttgcgttga aaagtctcca tcgatgatca 2460  
 catcaatcca ctgcgttga agacgtgggt ggaacgtctt cttttccac gatgctcctc 2520  
 gtggggtgggg gtccatctt gggaccactg tcggcagagg catcttcaac gatggcctt 2580  
 ctttatcgc aatgatggca tttttaggag ccacccctt tttccactat ctgcacaata 2640  
 aagtgcacaga tagctggca atggaatccg aggagggttc cggatattac ctttgcgttga 2700  
 aaagtctcca cccatgcaga tctgcaggca tgcaagctgc ggcgcgttt aaacaattcc 2760  
 cgatcgatct agtaacatag atgacaccgc ggcgcataat ttatcttagt ttgcgcgtta 2820  
 tattttgttt totatcgctt attaaatgtt taattgcggg actctaatac taaaaaccca 2880  
 tctcataaat aacgtcatgc attacatgtt aattattaca tgcttaacgt aattcaacag 2940  
 aaattatatg ataatcatcg caagaccggc aacaggattc aatcttaaga aactttattg 3000  
 ccaaatgttt gaacgatcgg gggaaattcgaa gctctccaat tccccaccga ggctgttagcc 3060  
 gacgatgggtt cggcaggaga gttgttgcattt cattgttgc ctccctgctg cgggtttca 3120  
 ccgaagttca tgccagtcca gctgtttgc agcagaaaaag cccggactt cgggttgcgg 3180  
 tcgcgagtga agatccctt ctgttaccg ccaacgcgcgca atatgccttgc cgggttgcga 3240  
 aaatccggca aattccatc ctgttcaccg acgacgcgcg tgacgcgatc aaagacgcgg 3300  
 tgatcatat ccagccatgc acactgatac tcttcactcc acatgtcggt gtacatttag 3360  
 tgcagcccggtt ctaacgtatc cacgcccgtat tcggtgatga taatcgctg atgcgtttc 3420  
 tcctgccagg ccagaagttc ttttccagt accttctctg ccgtttccaa atgcgcgtt 3480  
 tggacatacc atccgtataa acggttcagg cacagcacat caaagagatc gctgtatggta 3540  
 tcgggtgttag cgtcgccagaa cattacattt acgcaggatc tcggacgcgt cgggtcgagt 3600  
 ttacgcgttgc ttccgcctt gggcaaaata tttccgttca cttgcggacg ggtatccggt 3660  
 tcgttggcaaa tactccatc caccacgctt ggggtgggtt tgcacgcgcg tattcagctt 3720  
 ttaatcgctt gtaagtgcgc ttgttgcattt tccccgttgc ctgccttc tctgtacatgt 3780  
 tcttcggct ttgttgcctt ttcgaaacca atgcctaaag agaggtaaa gccgacagca 3840  
 gcagtttcat caatcaccac gatccatgt tcatctgcctt agtcgagcat ctcttcagcg 3900  
 taagggtat gcgaggatcgtt gtaggatgtt gccccaaatcc agtccattaa tgcgttgcg 3960  
 tgcaccatca gcacgttatac gaatcccttgc ccacgttaatc cgcgcatttc atgacgacca 4020  
 aagccagtaa agtagaacgg tttgtggta atcaggaaact gtcgccttgc cactggccact 4080  
 gaccggatgc cgacgcgaag cggtagata tcacactctg tctggctttt ggctgtgacg 4140  
 cacaggatcat agagataacc ttccaccggc tgccagaggt gcccattcac cacttgcataa 4200  
 gtcccgttag tgccttgcctt agtgcaccc acctgttgc cgcgcatttc cagttcaacg 4260  
 ctgacatcac cattggccac cacgtgcacg tcaacagacg cttgcgttaca gtcttgcgcg 4320  
 acatgcgtca ccacggatcatc atcgtccacc cagggtttcg gctgttgcgtt gaggattacg 4380  
 ctgcgtatggc ttccggcata gttaaagaaa tcatggaaatc aagactgttctt tttcttgcctt 4440  
 tttcgtcggtt taatcaccat tccggccggg atagtcgttgc agttcgttgc gttgttgcaca 4500

caaacggta tacgtacact tttccggca ataacatacg gcgtgacatc ggcttcaa 4560  
 ggcgtatagc cgccctgatg ctccatcaact tcctgattat tgacccacac tttggcgta 4620  
 tgagtgaccg catcgaaacg cagcacgata cgctggctg cccaacctt cggtaataaag 4680  
 acttcgcgct gataccagac gttggccgca taattacgaa tatctgcattc ggcgaactga 4740  
 tcgttaaaac tgcctggcac agcaattgcc cggcttctt gtaacgcgc tttccaccaa 4800  
 cgctgatcaa ttccacagtt ttcgcgatcc agactgaatg cccacaggcc gtcgagttt 4860  
 ttgatttcac gggttgggt ttctacagga cggaccatgg aactttgctg gtgaaagtgg 4920  
 caagctacac caagaactgc acaaaggaaa tgaatcataa gaacaagcag tataactatc 4980  
 ccgattacag cttcataaaat ttcttctgt aatcaagcag tcaaggaata accaaaaaga 5040  
 aacttctaca ggtagatatac agaggataat cgatagataa tcgatgtgaa tttgaaaaca 5100  
 aaatttgagga cagttcatgc cagacttca gctcagaata atgaaggggg gagagcta 5160  
 aaaaaaaaata atccaaatga atactgctt tgctacagtt catttcataat aattaaaaat 5220  
 ggagatcaga aatcgatataa gttcttctcc tgactaaact ataggggtat tacattaa 5280  
 ctgaactaca gtaggatataa cgctataaaa gcattattt tagcaatcaa ttcatgtac 5340  
 tgaaccagaa agtgacttt taagatattt gggaaaaaaa attctggac taaagcaa 5400  
 cggaaagaaca gggatcccc tggctctgag gattataact gttccatga atttcgtat 5460  
 ggggactact gtatctaaac aagccagctg cgaaatttt gacaggctt agaataatc 5520  
 attcaatctc atcaacggga cggcttcaaa agttggatta ttttggatca atagggata 5580  
 aacaaaggat agttcgtca aatcgagaag catcaactacc agaatacgagg accaaacaac 5640  
 cgtacttttta ttacaccaag caaaatcacc ggtgctctga ttttacctca aacaaaaggt 5700  
 actcacaaaa tcgcaagatt cggtaaccctt aaccattca tttccataga gctctccaga 5760  
 cgattgaaaa ccatactact aatcaaaaccg aaccgataac atgcaacatc aagaaccct 5820  
 ctatccaaa tccaagaaca ggaatcatca cagatacaga tccccttcc taacatcaac 5880  
 gcccgtacta cacaacctag aacaataaaat ccaagaacaa ccgaaggggca cataccctgt 5940  
 gaggaggagg tggaggaggaa aagagatcga ccaagaactc gaccggaaaga tatggatcga 6000  
 agaaggcggt cgctcggtt ctgctagtcg cgtgtcttg gtgtctccc tcttcttggc 6060  
 ttggatgcct cctatataga gggggaaaaa ggggggagga atttataat gggaggagga 6120  
 ggtgtttgg ttttcttgc ctctcctctt ctctccttgc gacttgctgt cttccgttag 6180  
 ggtgttgcg gacttgctgt cttccgttag atcatcgat tttgtgggtt gttctgtggg 6240  
 cagccactct gttgttgcct gtgtgccc aatgggagat tgccgtcgc gcacgagcaa 6300  
 aattctttt tttttgtat gtggaaaaacc taaatagttc gtttcataact tttcatgcta 6360  
 ttctgtaaaa ttatttttt tatttttagat attattaaaaa gtggtctggt gatggtggag 6420  
 tgcttgaatt cagatatttc tacctaaatg tatttttagat tatttttagat gctgttggg 6480  
 gttgttagtt gaacgtgtat tgaggaggt cactcacaca tgacatgag cacaaggatgt 6540  
 gtgcgttaatg accttgcattc taatcgaaaaa aagataaata ataaaaataa gtcaattgtc 6600  
 tttaattact aaataaaaaat tggatggag taagacatgt cttaatgat gtgcgtatg 6660  
 acgaatgcac aaactataaa attatataat tatatgtta aatctttgccc aatacgttca 6720  
 gaatatcttc attctatttt tttaaaaaaa atctctctt ttacccattt agttcagcta 6780  
 gaaagatttt ttttcaag aagagtttga tgacaattat ggctactcg aataattaa 6840  
 cttcatgaca gagatgtgaa cgtatattct aagcaataat gatttcattt tcccactta 6900  
 ttactaagga aaacgaaact agttagcgat cttttttta tttagcccgat ttgcccactaa 6960  
 agtaggtgga tgagttttc ttgcataatg ctgatccatcg aatgggatcg ttagttatca 7020  
 cattttatat ttgcacacg ttccstatat ggcggcgcgc cgcagctggc gtaatcatgg 7140  
 actgcaggca tgcaagttc ccggaaatgc ctttttttgcgatccatcg aatgggatcg 7200  
 tcatacgatgt ttccgtgtgaa aatgggatcg ttagttatca ggcgtacata tataaggct 7260  
 ggaagcataa agtgtaaacg ctgggtgtcc tggatgttgcgatccatcg aatgggatcg 7320  
 ttgcgtcac tgcccgctt ccagtgggaa aacctgtcgatccatcg ggcgtacata tataaggct 7380  
 ggc当地ggcgcc cggggagagg cgggttgcgtt ctttttttgcgatccatcg aatgggatcg 7440  
 gactcgctgc gctcggtcgat tggatgtggg ctttttttgcgatccatcg aatgggatcg 7500  
 atacggttat ccacagaatc agggataac gcaatcgatccatcg aatgggatcg 7560  
 caaaaggcca ggaaccgtaa aaaggccgcg ctttttttgcgatccatcg aatgggatcg 7620  
 cctgacgagc atcacaaaaa tgcacgtca agttaggttgcgatccatcg aatgggatcg 7680  
 taaagatacc aggctttcc cccctggaaatgc tccctcgatccatcg aatgggatcg 7740  
 ccgcttaccg gatacctgtc cgccttgcgtt ctttttttgcgatccatcg aatgggatcg 7800  
 tcacgctgtt ggtatctcag ttccgtgttag gtcgttgcgtt ccaagctggggatcg 7860  
 gaaccccccgg ttccgtgttag cccctggaaatgc ttatccgtt aatccgtt tggatccaa 7920  
 ccggtaagac acgacttatac gccactggca gcagccactg gtaacaggat tagcagagcg 7980  
 aggtatgttag gcggtgtac agatgttgcgtt aagtttgcgtt ctaactacgg ctacactaga 8040  
 aggacagttat ttggatctgc cgccttgcgtt aagccagttt cttccggaa aagatgtgg 8100  
 agctcttgcgtt ccggcaaaaca aaccaccgtt ggttagccgtt gtttttttgcgtt ttgcaagcag 8160  
 cagattacgc gcagaaaaaaa agatctcaa aagatccctt tgatctttc tacgggtctt

gacgctcagt ggaacgaaaa ctcacgttaa gggattttgg tcatgagatt atcaaaaagg 8220  
 atcttcacct agatccttt aaattaaaaa tgaagttta aatcaatcta aagtatata 8280  
 gagtaaactt ggtctgacag ttaccaatgc ttaatcagtg aggcacctat ctcagcgatc 8340  
 tgtctatttc gttcatccat agttgcctga ctccccgtcg ttagataac tacgatacgg 8400  
 gagggcttac catctggccc cagtctgca atgataccgc gagaccaccc 8460  
 ccagatttat cagcaataaa ccagccagcc ggaaggggccg agcgcagaag tggtcctgca 8520  
 actttatccg cctccatcca gtctattaat tggccggg aagctagagt aagtagttcg 8580  
 ccagtaataa gtttgcgcaa cgttgcgc attgctacag gcatcggtt gtcacgctcg 8640  
 tcggttggta tggcttcatt cagctccgtt tcccaacgat caaggcgagt tacatgatcc 8700  
 cccatgttgt gcaaaaaaagc gtttagctcc ttccgttcc cgtatcggtt cagaagtaag 8760  
 ttggccgcag tggatcact catggttatg gcagcactgc ataattctct tactgtcatg 8820  
 ccatccgtaa gatgttttc tggactggg gaggactcaa ccaagtcatt ctgagaatag 8880  
 tgtatgcggc gaccgagttt ctctgccc gcgtcaatac ggataatac cgcgcacat 8940  
 agcagaactt taaaagtgtt catcatttggaa aacgttctt cggggcgaaa actctcaagg 9000  
 atcttaccgc tggatcact cagttcgatg taacccactc gtgcacccaa ctgatctca 9060  
 gcatcttttta ctttcaccag cgttctggg tgagcaaaaa caggaaggca aaatgccgca 9120  
 aaaaaggaa taagggcgac acggaaatgt tgaataactca tactcttcct tttcaatat 9180  
 tattgaagca ttatcaggg ttatgtctc atgagccgtt acatatttga atgtatTTAG 9240  
 aaaaataaac aaatagggtt tccgcgcaca ttcccccggaa aagtgcacc tgacgtctaa 9300  
 gaaaccatta ttatcatgac attaacctat aaaaataggc gtatcacgag gccccttcgt 9360  
 c 9361

&lt;210&gt; 28

&lt;211&gt; 10629

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:pArGOS2Af-hpt

&lt;400&gt; 28

tcgcgcgttt cgggtatgac ggtgaaaacc tctgacacat gcagctcccg gagacggtca 60  
 cagctgtct gtaagcggat gcccggagca gacaagcccg tcagggcgcg tcagcggtg 120  
 ttggccgggtg tcggggctgg cttaactatg cggcatcaga gcaagattgtt ctgagagtgc 180  
 accatatgcg gtgtaaaataa cccgacagat gcgttaaggag aaaaataccgc atcaggcgcc 240  
 attcgccatt caggctgcgc aactgttggg aaggggcgatc ggtgcgggccc ttctcgctat 300  
 tacgcccgtt ggcgaaaggg ggtatgtgtt caaggcgatt aagttgggtt acgcccagggt 360  
 tttcccgatc acgacgttgtt aaaaacgacgg ccagtgttattt cccgatcgat cttagtaacat 420  
 agatgacacc ggcgcgcata atttaccta gtttgcgcgc tatattttgtt ttctatcgc 480  
 gtattaaatg tataatttgcg ggactctaat cataaaaaacc catctctataa ataacgtcat 540  
 gcattacatg ttaatttata catgcttaac gtaattcaac agaaattata tgataatcat 600  
 cgcaagaccc gcaacaggat tcaatcttaa gaaattttat tgccaaatgt ttgaacgatc 660  
 gggaaattc gagctcttac tattccttg ccctcgacg agtgcgtggg cgtcggtttc 720  
 cactatcgcc gtagtactt acacagccat cggccagac gggcgccgtt ctgcgggccc 780  
 tttgtgtacg cccgacagtc ccggctccgg atcggacgtat tgcgtcgcat cgaccctcg 840  
 cccaaactgc atcatcgaaa ttggcgatca ccaagctctg atagagtgg tcaagaccaa 900  
 tgcggagcat atacgccccg agccgcggcg atccctgcgatc ctcggatgc ctccgctcga 960  
 agtagcgcgt ctgctgcattt atacaagcca accacggcct ccagaagaag atgttggcg 1020  
 cctcgattt ggaatccccg aacatcgctt cgctccagtc aatgaccgcgtt gttatgcggc 1080  
 cattgtccgt caggacatgt ttggagccga aatcccgatc caccggatgc cggacttcgg 1140  
 ggcagtcctc ggcggaaagc atcagctcat cggagacgtt cggacggac gcactgacgg 1200  
 tgtcgccat cacagtttc cagtgatata catggggatc agcaatcgcc catatgaaat 1260  
 cacgcacatgt agtgtattgtt ccgattccctt gccgtccgaa tggccgaaac ccgctcgatc 1320  
 ggctaagatc ggcggcagcg atcgcatttca tggcccccgc gaccggctgc agaacagccg 1380  
 gcagttcggt ttcaggcagg tcttgcaacg tgacaccctg tgacacgggg gagatgcaat 1440  
 aggtcaggct ctcgctgaat tcccaatgtt caagcacttc cggaaatcgcc agcgcggccg 1500  
 atgcaaaatgtt ccgataaaaca taacgatctt tggatggaaacc atcggcgacg ctatttaccc 1560  
 gcaggacata tccacgcctt cctacatcgat agctgaaagc acgagattct tcgcctccg 1620  
 agagctgcgtt caggtcgagg acgctgtcgat acttttcgtt cagaaacttc tcgcacagacg 1680  
 tcgcgttgcgtt ttcaggctt ttcatatctc acgagatctg tattccgtgc ctggaaacaaa 1740  
 tggcccccaga tccgtccgca gtcgcacggg tccagggaaag caatcgatca gtcaagctaa 1800

atcatcaaga tgcaaacttt tcgcccattgc taaacacggg aaaattcgaa tggacatgtg 1860  
tggagcagca aaggagctt ccccaaaatt actcaacgaa tcataaaccg agattagtca 1920  
gatcaagaga cagaggagaa acaaggcgga ccttgcact tgatctgggg attgcccctga 1980  
cttgggtggc ctggtatatt agggataggg ttgctcctat ccacagctt tccaccaaat 2040  
atcagctcct ccgtggactg ccttgcag ccttcagctg gatcctctag agtccccgt 2100  
gttctctcca aatgaaatga acttccttat atagaggaag ggtcttgcga aggatagtgg 2160  
gattgtgcgt catcccttac gtcagtggag atatcacatc aatccactt cttgaagac 2220  
gtgggtggaa cgctttctt ttccacgatg ctcctcggtt gtgggggtcc atctttggg 2280  
ccactgtcgg cagaggcattt ttcaacgatg gccttcctt tatcgcaatg atggcatttg 2340  
taggagccac cttcctttt cactatctt acaataaaagt gacagatagc tggcaatgg 2400  
aatccgagga gtttccggta tattaccctt tattaccctt tattaccctt tggtgaaaag 2460  
aatccactt ctttgaagac gtgggtggaa cgtcttctt ttccacgatg ctccctgtgg 2520  
gtgggggtcc atctttggg ccactgtcgg cagaggcattt ttcaacgatg gccttcctt 2580  
tatcgcaatg atggcatttg taggagccac cttcctttt cactatctt acaataaaagt 2640  
gacagatagc tggcaatgg aatccgagga gtttccggta tattaccctt tggtgaaaag 2700  
tctccaccca tgcagatctg caggcatgca agctgcggcc gctctagaac tagtggatcc 2760  
tgcaagagtt ttacaagtga aattaagttt aaacattttt aaatataac caagtcaagt 2820  
gtgctttta aaaattttgc tgacttcata aatataat aatgaaaaat atattagaag ggagaggact 2880  
gctatataat cttaaaaagg aatcaaaaaat aattaaatattt aatataat aatgaaaaat atattagaag ggagaggact 2940  
aattaatatt taccagcttcc agggaaatattt aatcttttgc aatataat aatgaaaaat atattagaag ggagaggact 3000  
tttttttca tggacgtcat atataaaatct aaccccttc taaaatataat aagaaattaaa 3060  
gatatcgaga tcctgcaaga gttttacaag tggatcttcc aatataat aatgaaaaat atattagaag ggagaggact 3120  
taccaagtca agtgcgtt ttttttttttgc aatataat aatgaaaaat atattagaag ggagaggact 3180  
agcttggcat ggagctatattt aatcttttgc aatataat aatgaaaaat atattagaag ggagaggact 3240  
aagggagagg actaatttttgc aatataat aatgaaaaat atattagaag ggagaggact 3300  
tatcgtttta aaatttttttgc aatataat aatgaaaaat atattagaag ggagaggact 3360  
attagaaattt aatgatatcg agatccccca aatataat aatgaaaaat atattagaag ggagaggact 3420  
tgacaccgcg cgcgataattt aatcttttgc aatataat aatgaaaaat atattagaag ggagaggact 3480  
ttaaatgtat aatttgcgggatc aatataat aatgaaaaat atattagaag ggagaggact 3540  
ttacatgtta attattacat gcttaacgta aatataat aatgaaaaat atattagaag ggagaggact 3600  
aagaccggca acaggattca aatataat aatgaaaaat atattagaag ggagaggact 3660  
gaaattcgag ctctccaattt ccccaaccggatc aatataat aatgaaaaat atattagaag ggagaggact 3720  
ttgttgcattt attgtttgc tccctgcatttgc aatataat aatgaaaaat atattagaag ggagaggact 3780  
cgttttgc aatataat aatgaaaaat atattagaag ggagaggact 3840  
ttgttaccgc aatataat aatgaaaaat atattagaag ggagaggact 3900  
tgttcaccga aatataat aatgaaaaat atattagaag ggagaggact 3960  
caactgatact cttcacttca aatataat aatgaaaaat atattagaag ggagaggact 4020  
acggcgatattt aatataat aatgaaaaat atattagaag ggagaggact 4080  
ttttccatgtt ccttctcttgc aatataat aatgaaaaat atattagaag ggagaggact 4140  
cggttcaggc aatataat aatgaaaaat atattagaag ggagaggact 4200  
attacattga aatataat aatgaaaaat atattagaag ggagaggact 4260  
ggcgaaatattt aatataat aatgaaaaat atattagaag ggagaggact 4320  
accacgcttgc aatataat aatgaaaaat atattagaag ggagaggact 4380  
tgcttagttt ccccttgc aatataat aatgaaaaat atattagaag ggagaggact 4440  
tcgaaaccaa tgcctaaaga aatataat aatgaaaaat atattagaag ggagaggact 4500  
atgcccatttgc aatataat aatgaaaaat atattagaag ggagaggact 4560  
taggagtttgc aatataat aatgaaaaat atattagaag ggagaggact 4620  
aatcccttgc aatataat aatgaaaaat atattagaag ggagaggact 4680  
ttgtgtttaa tcaaggactt aatataat aatgaaaaat atattagaag ggagaggact 4740  
gggttagatattt aatataat aatgaaaaat atattagaag ggagaggact 4800  
tcacccgggtt aatataat aatgaaaaat atattagaag ggagaggact 4860  
gttgcaaccca ccttgcatttgc aatataat aatgaaaaat atattagaag ggagaggact 4920  
acctggccatgtt aatataat aatgaaaaat atattagaag ggagaggact 4980  
tcgtccaccc aatataat aatgaaaaat atattagaag ggagaggact 5040  
ttaaaagaaat aatataat aatgaaaaat atattagaag ggagaggact 5100  
ccggccggga aatataat aatgaaaaat atattagaag ggagaggact 5160  
ttccccggca aatataat aatgaaaaat atattagaag ggagaggact 5220  
tccatcactt aatataat aatgaaaaat atattagaag ggagaggact 5280  
agcacgatac gctggccttgc aatataat aatgaaaaat atattagaag ggagaggact 5340  
ttggcccgat aatataat aatgaaaaat atattagaag ggagaggact 5400  
gcaatgcggcc aatataat aatgaaaaat atattagaag ggagaggact 5460

tcgcgatcca gactgaatgc ccacaggccg tcgagtttt tgatttcacg ggttgggggt 5520  
 tctacaggac ggaccatgga actttgctgg tgaaaagtggc aagctacacc aagaactgca 5580  
 caaaggaaat gaatcataag aacaagcagt ataactatcc cgattacagc ttccataaatt 5640  
 tctttctgtat atcaaggcagt caaggaataa ccaaaaagaa acttctacag gtagatacaa 5700  
 gaggataatc gatagataat cgatgtgaat ttgaaaacaa aattgaggac agttcatgcc 5760  
 agacttcag ctcagaataa tgaagggtg agagctaata aaaaaaataa tccaaatgaa 5820  
 tactgcttat gctacagttc atttcatata attaaaaatg gagatcagaa atcggataag 5880  
 ttcttctcct gactaaacta tagggattt acctattaac tgaactacag ctaggataac 5940  
 gctataaaag cattatttg agcaatcaat tcattgaact gaaccagaaa gtgactttt 6000  
 aagatatttgc gaaaaaaa ttctggact aaagcaatc ggaagaacag ggaatcccct 6060  
 gttcctgagg attataactg tttccatgaa tttcgtatg gggactactg tatctaaaca 6120  
 agccagctgc gaaattttg acaggctaa gaatcaatca ttcaatctca tcaacggac 6180  
 cgtctcaaa gttggattt tttgttcaa tagggataa acaaaggata gcttcgtcaa 6240  
 atcgagaagc atcactacca gaatcgagga ccaaacaacc gtactttt tacaccaagc 6300  
 aaaatcaccg gtgctctgat tttacctcaa acaaaaaggta ctcacaaaat cgcaagattc 6360  
 cgtaccctaa accatttcat ttccatagag ctctccagac gattgaaaac catactacta 6420  
 atcaaaccga accgataaca tgcaacatca agaaccctc tatcccaaat ccaagaacag 6480  
 gaatcatcac agatacagat ccccttccct aacatcaacg cccgtactac acaacctaga 6540  
 acaataaaatc caagaacaac cgaaggccac ataccctgtg aggaggaggt ggaggaggga 6600  
 agagatcgac caagaactcg accggaagat atggatcgaa gaaggcggtc gctcggcttc 6660  
 tgctagtcgc gtgtccttgg tgctctccct cttcttggct tgatgcctc ctatataagag 6720  
 agggaaaaag gggggaggaa ttatagatg ggaggaggag gatgcttggt tttcttgcc 6780  
 ttccttcctc ttcctggcc gcaaaggctg ctgttaaaag gttgttgcgg acttgctgtc 6840  
 ctccgttaga tcatgtttt ttgtgggtt ttctgtggc agccactctg ttgttgcctg 6900  
 tgcgcctaat atgggagatt ggcgcgcg cacgagcaaa attcttttt tttttgtatg 6960  
 tgaaaaaacct aaatagttcg ttcatactt ttcatgtat tctgtaaaat tattttttgt 7020  
 attttagata ttataaaatg tggcttggtg atggtgaggt gcttgaattc agatattgct 7080  
 acctaataatgt attaaatagg cgagtgtat tagagatgtg ttcttagttt aacgtgtatt 7140  
 gaggaggtgc actcacacat gcacatgagc acaaagtgtg tgctgttgcgg cttgcattct 7200  
 aatcgaaaaaa agataaataa taaaataaag tcaatttgttct ttaattacta aataaaaatt 7260  
 gggatggagt aagacatgtc cttaatgtat tgccatataatg cgaatgcaca aactataaaa 7320  
 ttatataattt atatgtttaa atctttgcctt atacgttcag aatatcttc ttcttattttt 7380  
 ttaaaaaaaa tctctcttta taccattga gttcagctag aaagatttt ttattcaaga 7440  
 agagtttgat gacaattatg gtttgcgttgcgataatc ttcatgtacag agatgtgaac 7500  
 gtatattcttca agcaataatg atttcattttt cccacttaat tactaaggaa aacgaaacta 7560  
 gtgttagcgtc tctttttttag ttagcccgat tgccactaaa gtaggtggat gagttttct 7620  
 tgcatagttc tagttatcgt cgctacatataatc ataggcttc attttatatt tagcacacgt 7680  
 tccctatattt gtttagttgg gggtaaaaatc ggtgcagccccggggatctcg 7740  
 atatctttaa tttctaatat atttagaagg ggttttagatt tatatatgac gtccatgaaa 7800  
 aaaaatttttta aaacgatagg ccagctccaa agaatatatttccctggagc tgtaaatat 7860  
 taatttagtcc tctcccttctt aataatatttt tcgatatttt tgattcctt ttaagattat 7920  
 atagctccat gccaagctga cttcttaataa tattttatgtatg agtcagcaaa atttttaaaa 7980  
 agcacacttg acttggtataa tattttataa tttttatgtatg tttttatgtatg tttttatgtatg 8040  
 ttgcaggatc tcgatatctt taatttcttaa tttttatgtatg tttttatgtatg tttttatgtatg 8100  
 gacgtccatg aaaaaaaaatttta taaaacacat ggttttagatt tatatatgac gtccatgaaa 8160  
 agctggtaaa tattttatgtatg tttttatgtatg tttttatgtatg tttttatgtatg tttttatgtatg 8220  
 tttttatgtatg tttttatgtatg tttttatgtatg tttttatgtatg tttttatgtatg tttttatgtatg 8280  
 tttttatgtatg tttttatgtatg tttttatgtatg tttttatgtatg tttttatgtatg tttttatgtatg 8340  
 acttggtaaa ctcttgcagg attcactatgtatg tttttatgtatg tttttatgtatg tttttatgtatg 8400  
 aatcatggtc atagctttt cctgtgtgaa tttttatgtatg tttttatgtatg tttttatgtatg 8460  
 tacgagccgg aagcataaaatg tttttatgtatg tttttatgtatg tttttatgtatg tttttatgtatg 8520  
 taatttgcgtt ggcgtcactg cccgcttccctt tttttatgtatg tttttatgtatg tttttatgtatg 8580  
 aatgaatcgg ccaacgcgcg gggagaggcg tttttatgtatg tttttatgtatg tttttatgtatg 8640  
 cgctcaactga ctgcgtgcgc tcggcgttccctt tttttatgtatg tttttatgtatg tttttatgtatg 8700  
 aggcggtaat acggttatcc acagaatcgtatg tttttatgtatg tttttatgtatg tttttatgtatg 8760  
 aaggccagca aaaggccagg aaccgtaaaaatg tttttatgtatg tttttatgtatg tttttatgtatg 8820  
 tccgcccccc tgcgtggatc cacaatcgtatg tttttatgtatg tttttatgtatg tttttatgtatg 8880  
 caggactata aagataccatg gcgtttccccctt tttttatgtatg tttttatgtatg tttttatgtatg 8940  
 cgaccctgccc gcttaccggatc tacctgtccgtatg tttttatgtatg tttttatgtatg tttttatgtatg 9000  
 ctcaatgctc acgctgttagg tttttatgtatg tttttatgtatg tttttatgtatg tttttatgtatg 9060  
 gtgtgcacga accccccctt cagccgcacc tttttatgtatg tttttatgtatg tttttatgtatg 9120

```

agtccaaccc ggtaagacac gacttatcgc cactggcagc agccactggg aacaggatta 9180
gcagagcgag gtatgttagc ggtgctacag agttcttcaa gtgggtggct aactacggct 9240
acactagaag gacagtattt ggtatctcg ctctgtgaa gccagttacc ttccggaaaaaa 9300
gagttggtag ctcttgatcc ggcaaacaaa ccaccgctgg tagcgggtgg tttttgttt 9360
gcaaggcagca gattacgcgc agaaaaaaag gatctcaaga agatcctttg atcttttcta 9420
cggggtctga cgctcagttt aacgaaaact cacgttaagg gattttggtc atgagattat 9480
caaaaaggat cttcacctag atccctttaa attaaaaatg aagttttaaa tcaatctaaa 9540
gtatatatga gtaaaacttgg tctgacagtt accaatgctt aatcagtggag gcacctatct 9600
cagcgatctg tctatattcgt tcatccatag ttgcctgact ccccgctgt tagataacta 9660
cgatacggga gggcttacca tctggccca gtgctgcaat gataccgcga gaccacgct 9720
caccggctcc agatttataca gcaataaacc agccagccgg aaggggccgag cgccagaagtg 9780
gtcctgcaac tttatccgccc tccatccagt ctattaattt ttgcggggaa gctagagtaa 9840
gtagttcgcc agttaatagt ttgcgcaacg ttgttgcctt tgctacaggc atcgtgtgt 9900
cacgctcgtc gtttggtagt gcttcattca gctccgggtt ccaacgatca aggccgagtt 9960
catgatcccc catgttgc aaaaaagccg ttagctcctt cggtcctccg atcgtgtca 10020
gaagtaagtt ggccgcagtg ttatcacta tggttatggc agcactgcat aatttctta 10080
ctgtcatgcc atccgtaaaga tgctttctg tgactggta gtactcaacc aagtcttct 10140
gagaatagtg tatgcggcga ccgagttgt cttgccccggc gtcaatacgg gataataccg 10200
cgccacatag cagaacttta aaagtgtca tcattggaaa acgttctcg gggcgaaaaac 10260
tctcaaggat cttaccgcgt ttgagatcca gttcgatgtt acccactcg gcaccctact 10320
gatcttcagc atcttttact ttccaccagcg tttctgggtt agcaaaaaca ggaaggcaaa 10380
atgcccaaaa aaagggaata agggcgacac ggaaatgttg aataactcata ctcttcctt 10440
ttcaatattt ttgaaggatt tatcagggtt attgtctcat gagcggatata atatttgaat 10500
gtatttagaa aaataaacaa ataggggttc cgccacatt tccccggaaaaa gtgccacctg 10560
acgtctaaga aaccattatt atcatgacat taacctataa aaataggcgt atcaccggc 10620
ccttcgtc 10629

```

&lt;210&gt; 29

&lt;211&gt; 676

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

<223> Description of Artificial Sequence: 5' MAR in  
Ar-Act-Af

&lt;400&gt; 29

```

ctccaccgcg gtggcgccccg ctctagaact agtggatcct gcaagagttt tacaagtggaa 60
attaagtttta aacatttata aatataacc aagtcaagtg tgcctttttaa aaattttgct 120
gacttcataa aatataattttt gaagtcagtt tggcatggag ctatataatc taaaaaaagga 180
atcaaaaata tcgaaaaata tattagaagg gagaggacta attaatattt accagctcca 240
ggaaatata ttctttggag ctggcctatc gttttaaaat ttttttcat ggacgtcata 300
tataaatcta aacccttctt aaatataattt gaaattttttt atatcgagat cctgcaagag 360
ttttacaagt gaaatattttt ttaaacattt ataaatataat accaagtcaa gtgtgttttt 420
taaaaatttt gctgacttca taaaatataat taggaagtca gcttggcatg gagctatata 480
atctttttttt ggaatcaaaa atatcgaaaa atatattttt agggagagga ctaattatata 540
tttaccagct ccagggaaat atattctttt gatctggcct atcgtttttaa aatttttttt 600
catggacgtc atatataaat ctaaaccct tctaaatata tttagaaatata aagatatcga 660
gatccccccgg gctgca 676

```

&lt;210&gt; 30

&lt;211&gt; 15676

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:pAct2-bin

&lt;400&gt; 30

```

gatctgcaag cgatcgccggc gcgccattta aatgccggg cgtttaaacg cggccgcattt 60
cccgaaaaacgc ttgcatgcct gcagaattcg gcttgggtttt acgagttcgg atgttagt 120

```

agccattatt taatgtacat actaatcgtg aatagtgaat atgatgaaac attgtatctt 180  
 attgtataaa tatccataaa cacatcatga aagacactt cttcacggc ctgaattaat 240  
 tatgatacaa ttctaataga aaacgaatta aattacgtt aattgtatga aatctaattg 300  
 aacaagccaa ccacgacgac gactaacgtt gcctggattt actcggtta agttaaccac 360  
 taaaaaaaaacg gagctgtcat gtaacacgcg gatcgagcag gtcacagtca tgaagccatc 420  
 aaagcaaaag aactaatca agggctgag atgattaatt agttaaaaa ttagttaaca 480  
 cgagggaaaa ggctgcctga cagccaggc acgttatctt tacctgtggt cgaaatgatt 540  
 cgtgtctgtc gattttattt attttttga aaggccgaaa ataaagttgt aagagataaa 600  
 cccgcctata taaattcata tatttcctc tccgccttga attgtctcg tgcctccctc 660  
 actttcatca gccgttttga atctccggcg acttgacaga gaagaacaag gaagaagact 720  
 aagagagaaa gtaagagata atccaggaga ttcattctcc gtttgaatc ttcctcaatc 780  
 tcatcttctt ccgctcttc tttccaaggt aataggaact ttctggatct actttatgg 840  
 ctggatctcg atcttggttt ctcaatttcc ttgagatctg gaattcggtt aatttggat 900  
 ctgtgaacct ccaactaaatc ttttggttt actagaatcg atctaagttt accgatcagt 960  
 tagctcgatt atagctacca gaatttggct tgaccttgat ggagagatcc atgttcatgt 1020  
 tacctggaa atgatttgc tatgtgaaat gaaatctgaa ctgtgaagt tagattgaat 1080  
 ctgaacactg tcaatgttag attgaatctg aacactgtt aaggttagat gaagttgtg 1140  
 tatagattct tcgaaacttt aggatttgcgt gtgtcgatc ttgaacagaa agctatttct 1200  
 gattcaatca gggtttattt gactgtattt aactctttt gtgtgtttgc agctgttagac 1260  
 catggccgt cctgttagaaa ccccaaccgg tgaaatcaaa aaactcgacg gcctgtggc 1320  
 attcagtctg gatcgcgaaa actgtggaaat tgatcagcgt tggggaaa ggcgttaca 1380  
 agaaagccgg gcaattgcgt tgccaggcag ttttaacgat cagttcgccg atgcagatat 1440  
 tcgttaattt gcccccaacg tctggatca aggccagcgt atcgtgctgc gtttcgatgc 1500  
 taatcaggaa gtgatggagc atcaggccgg ctagtgcattt gttgttgcgtt gttgttgcgt 1560  
 gtatgttatt gccccggaaa gtgtacgtat gtcactcat tacggcaag tgggggtcaa 1620  
 gcagactatc cccggggaaa tgggtgattac cccatcgccg gtaatgctct acaccacgccc 1680  
 cttccatgat ttctttactt atgcggaaat gacgtgtatc gacgtatgc ggcgaagact gtaaccacgc 1740  
 gaacacctgg gtggacgata tcaccgtgtt tgatgtcagc gttgaactgc gtgatgcgg 1800  
 gtctgttgc tggcagggtgg tggcaatgg tagcggact ttgcaagtgg tgaatccgca 1860  
 tcaacagggt gttgcaactg gacaaggcac tgaactgtgc gtcacagcca aaagccagac 1920  
 cctctggcaa cccgggtgaag gttatctcta catccggcgtca gttggcgttgcgtt ttaacctctc 1980  
 agagtgtatc atctacccgc ttccgtcggtt tactggctt ggtcgatc aagatgcgg 2040  
 gttcctgttattt aaccacaaatc cgttctactt gatggcattt ggtcgatc aagatgcgg 2100  
 cttacgtggc aaaggatttcg ataaacgtgt gacgtgtc gacgtatgc gttggcgttgcgtt ttaacctctc 2160  
 gattggggcc aactcctacc gtaacttcgca ttacccttac gtcacagcca aagggcaaca 2220  
 ggcagatgaa catggcgtcg tgggtatttt tgaaactgtct gtcgtcggtt ttaacctctc 2280  
 ttttaggcatt gtttcgaag cgggcaacaa gccgaaagaaa ctgtacagcg aagaggcagt 2340  
 caacggggaa actcagcaag cgcacttaca ggcgattaaa gagctgatacg cgcgtgacaa 2400  
 aaaccaccca agcgtgggtga tggggatggat tgccaaacgaa cccgataccg gtccgcaagt 2460  
 gcacggaaat atttcgcccc tggggaaagc aacgcgtaaatc ctcgaccggc cgcgtccgt 2520  
 cacctgcgtc aatgtatgt tctgcgacgc tcacaccgtt accatcagcg atctcttgc 2580  
 tgtgtctgtc ctgaaccgtt attacggatg gtatgtccaa agcggcgatt tggaaacggc 2640  
 agagaaggta ctggaaaaaaag aacttctggc ctggcaggag aaactgcatac agccgattat 2700  
 catcaccgaa tacggcgtgg atacgttagc cgggctgcac tcaatgtaca ccgacatgtg 2760  
 gagtgaagag tatcagtgtg catggctgaa tatgtatcac cgccgttttgcgtcg aaggcatatt 2820  
 cggccgtcgatc ggtgaacagg tatggatttt cgccgatccc gtcacagccctt cgggtgggaa 2880  
 ggcgcgttggc gttaacaaga aagggtatctt cactcgacgc gcaaaaccgg agtcggccgc 3000  
 ttttctgtgtc caaaaacgtt ggactggcat gaacttcggt gaaaaaccgc agcaggagg 3060  
 caaacaatga atcaacaact ctccctggcgc accatcgatcg gctacagccctt cgggtgggaa 3120  
 ttggagagct cgaatttccc cgatcgatca aacatttgcg aataaagttt cttaagattt 3180  
 aatcctgttg cccgtcttcg gatgattatc atataatttc tggtaattt cgttaagcat 3240  
 gtaataattt acatgtatgc catgacgtt tttatgagat gggtttttt gatttagatgc 3300  
 ccgcaatttat acatttataa cgcgatagaa aacaaaatat agcgcgcaaa ctaggataaa 3360  
 ttatcgcgcg cgggtgtatc tatgttacta gatcgatcg gatgttta aacgcggccgc 3420  
 cttaattaaat gcccggcttcg aggcatgaa gtcggatctt cacctacgtt gggggccatc 3480  
 gcaccgggtga gtaatattgt acggctaa gcaattttgg cctgttagacc tcaattgcga 3540  
 gctttctaat ttcaactat tcgggcctaa cttttgggtgt gatgtatcg actggcaggaa 3600  
 tatataaccgt tgtaatttgc gtcgtgtga ataagtcgtt gttgtatgtt gttgtattgt 3660  
 ttctgttggc gtgcagccca tttcaccggc caagtcggctt agattgattt agccctgtatc 3720  
 aactggccgag gggaaagccat cttgagcgcg gaaatggaaat ggtttcgatc gtacaacgag 3780



acttcgccaa acctgccgcc tcctgttcga gacgacgcga acgctccacg gcggccgatg 7500  
 gcgccccgag ggcaggggga gccagttca cgctgtcgcg ctcgatcttgc gccgtagctt 7560  
 gctggaccat cgagccgacg gacttggaaagg ttgcgggggg cgacgcatacg acgggtcgcc 7620  
 ttgcgatggt ttcggcatcc tcggcgaaa accccgcgtc gatcagttct tgcctgtatg 7680  
 ccttcggtc aaacgtccga ttcatcacc ctccctgcgg gattggcccg actcacgccc 7740  
 gggcaatgtg cccttattcc tgatttgacc cgccctggtc ctgggtgtcc agataatcca 7800  
 ccttattcggc aatgaagtcg gtcccgtaga ccgtctggcc gtccttctcg tacttggat 7860  
 tccgaatctt gcccgtcgcg aataccagcg accccttgcg caaataacttg ccgtgggcct 7920  
 cgccctgaga gccaaaacac ttgatgcgg aagaagtcggt gcgcctctgc ttgtcgccgg 7980  
 catcgttgcg ccaacttca ttaaccgcgata tatacgaaaat tgcttgcggc ttgttagaat 8040  
 tgccatgacg tacctcggtg tcacggtaa gattaccgat aaacttggaaac tgattatggc 8100  
 nnctcgaaat tccctcggtc ttgccttgcg cgtcggtgat gtacttcacc agctccgcg 8160  
 agtcgtctt cttgatggag cgcatgggg aatcacgcgc accccccggc 8220  
 cgtttagcg gctaaaaaaag tcatggctct gccctcgggc ggaccacgcgc catcatgacc 8280  
 ttgccaagct cgtctcgctt ctcttcgatc ttgcggcagca gggcgaggat cgtggcatca 8340  
 ccgaaccgcg ccgtgcgcgg gtcgtcggtg agccagagtt tcagcaggcc gcccaggcgg 8400  
 cccagtcgc cattgtatgcg ggccagctcg cgacgtgtc catagtccac gacgcccgtg 8460  
 atttttagc gctggccgac ggccagcagg taggcccaca ggctcatgc ggccggccg 8520  
 gcctttctt caatcgctt tcgttcgtct ggaaggcagt acaccttgcgat aggtgggctg 8580  
 cccttcctgg ttggcttgcgat ttcatcagcc atccgcttgc cctcatctgt tacgcggcgc 8640  
 gtagccggcc agcctcgacg agcaggattc ccgttgcgac ccgcagggtg cgaataagg 8700  
 acagtaaga aggaacaccc gctcgccgg gggctactt cacctatccct gcccggctga 8760  
 cgccgttggc tacaccaagg aaagtctaca cgaaccctt gcaaaaatcc tgcgtatcgt 8820  
 gcgaaaaagg atggatatac cgaaaaaaatc gctataatga ccccgaagca gggttatgca 8880  
 gcgaaaaaga tccgtcgacc ctggccgacg ctgcggccg tctatggccc tgcaaaacgcg 8940  
 caccgcggcc ggccggccggc gttgtggata ccacgcggaa aacttggccc tcactgacag 9060  
 atgagggggcg gacgttgaca cttgagggggc cgactcaccc ggcgcggcgt tgacagatga 9120  
 ggggcaggct cgatttcggc cggcgacgtg gagctggca gcttcgcaaa tcggcggaaa 9180  
 cgcctgattt tacgcgaggat tccacagat gatgtggaca agectggggta taagtggcc 9240  
 gcggtattga cacttgaggc ggcgcactac tgacagatga gggcgcgat cttgacact 9300  
 tgaggggcag agtgtatgaca gatgagggggc gcacctattt acatttgcgg ggcgtccac 9360  
 aggcaaaaaa tccagcattt gcaagggttt ccgcggctt ttccggccacc gctaacctgt 9420  
 cttttaacct gctttaaac caatatttat aaaccttgcgat ttaaccaggc gtcgcgcct 9480  
 ggcgcgtgac cgccacgcgc gaaggggggt gccccctt ctgcgacccct cccggccgc 9540  
 taacgcgggc ctcccatccc cccaggggct gcccctcg gccgcgaacg gcctcacccc 9600  
 aaaaatggca ggcgaagctt gcttggctgt tccgcgtgaa cgtcggtcg attgtacctg 9660  
 cgttcaaata ctggcgatc gtgtgcgcg cctggccgg gctgcggctg atctcacgg 9720  
 tcgactgctt ctctcgcaac gccatccgac ggatgtatgg taaaagtccc atgtggatca 9780  
 ctccgttgcg cctgcgtca ccgtgttggg gggaaaggtgc acatggctca gttctcaatg 9840  
 gaaattatct gcctaaccgg ctcagttctg cgtagaaacc aacatgcaag ctccaccggg 9900  
 tgcaaaagcgg cagcgccggc aggatataatt caattgtaaa tgcttcatgc tccgggaaat 9960  
 ctacatggat cagcaatgag tatgtatggc aatatggaga aaaagaaaaga gtaattacca 10020  
 attttttttc aattcaaaaaa tggatgtgc cgcagcgat ttataaaatg aaagtacatt 10080  
 ttgataaaac gacaaattac gatccgtcg atttataaggc gaaagcaata aacaaattat 10140  
 tctaattcgg aatctttat ttgcacgtgt ctacattcac gtccaaatgg gggagatccg 10200  
 tcgacctgca gtgaggtctg cctcgtaag aagggtttgc tgactcatac caggcctgaa 10260  
 tcgccccatc atccagccag aaagtgggg agccacgggt gatgagagct ttgtttagg 10320  
 tggaccaggat ggtgattttg aactttgttgc ttgcacggc acggctcgcc ttgtcgccgaa 10380  
 gatgcgtgat ctgatccttc aactcagcaa aagttcgatt tattcaacaa agccacgttg 10440  
 tgtctcaaaa tctctgtatgt tacattgcac aagataaaaa tatatcatca tgaacaataa 10500  
 aactgtctgc ttacataaaac agtaatacaa ggggtttat gagccatatt caacggggaaa 10560  
 cgtctgctc gaggccgcga ttaaattcca acatggatgc tgatttatg gggataataat 10620  
 gggctcgccga taatgtcgccg caatcaggta cgacaaatcta tcgattgtat gggaaagcccg 10680  
 atgcgccaga gttgtttctg aaacatggca aaggtagcgt tgccaatgtat gttacagatg 10740  
 agatgtcgat actaaactgg ctgacggat ttatgcctt tccgaccatc aagcatttt 10800  
 tccgtactcc tggatgtgc tggacttca ccactgcgt ccctggggaaa acagcattcc 10860  
 aggtatttgcgaga agaataatccct gattcagggtaaaatattgt tgatgcgtcg gcagtggttcc 10920  
 tgcgcgggtt gcattcgatt cctgtttgtat attgtccctt taacagcgat cgcgtatttc 10980  
 gtctcgctca ggcgcaatca cgaatgaata acggtttgggt tgatgcgtgat gattttgtatg 11040  
 acgagcgtaa tggctggccgtt gttgaacaag tctggaaaga aatgcataaa cttttgcct 11100



|            |            |             |             |             |            |       |
|------------|------------|-------------|-------------|-------------|------------|-------|
| gtggagaggg | tgaagggtat | gctacatacg  | gaaagcttac  | ccttaaattt  | atttgcaact | 14820 |
| ctggaaaact | acctgttcca | tggccaaacac | tttgtcactac | tttcttcttat | ggtgttcaat | 14880 |
| gctttcccg  | ttatccggat | catatgaagc  | ggcacgactt  | cttcaagagc  | gccatgcctg | 14940 |
| agggatacgt | gcaggagagg | accatcttt   | tcaaggacga  | cgggaactac  | aagacgcgtg | 15000 |
| ctgaagtcaa | gtttgaggg  | gacaccctcg  | tcaacaggat  | cgagcttaag  | ggaatcgatt | 15060 |
| tcaaggagga | cgaaaacatc | ctcgccaca   | agttgaaata  | caactacaac  | tcccacaacg | 15120 |
| tatacatcac | ggcagacaaa | caaaagaatg  | gaatcaaagc  | taacttcaa   | attcgccaca | 15180 |
| acattgaaga | tggatccgtt | caactagcag  | accattatca  | acaaaatact  | ccaattggcg | 15240 |
| atggccctgt | ccttttacca | gacaaccatt  | acctgtcgac  | acaatctgcc  | ctttcgaaag | 15300 |
| atcccaacga | aaagcgtgac | cacatggtcc  | ttcttgagtt  | tgtaactgct  | gctgggatta | 15360 |
| cacatggcat | ggatgagcta | tacaaataaa  | gatcctcgaa  | tttccccgat  | cgttcaaaca | 15420 |
| tttggcaata | aagtttctta | agattgaatc  | ctgttgcgg   | tcttgcgtatg | attatcatat | 15480 |
| aatttctgtt | gaattacgtt | aagcatgtaa  | taattaacat  | gtaatgcatt  | acgttattta | 15540 |
| tgagatgggt | ttttatgatt | agagtcccg   | aattatacat  | ttaatacgcg  | atagaaaaca | 15600 |
| aaatatagcg | cgcaaactag | gataaattat  | cgcgcgcgg   | gtcatctatg  | ttactagatc | 15660 |
| qatcgqqaat | tagatc     |             |             |             |            | 15676 |

<210> 31

<211> 17111

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:pArActAf-bin

<400> 31



gatacccaa tcagtgc当地 aaaaagatata atggggagata agacgggtcg tggc当地gctc 5820  
gacttgccacc atatcataaaa aatcgaaaca gcaaagaatg gcggaaacgt aaaagaagtt 5880  
atggaaataaa gacttagaaag caaacttaag agtgc当地tga tagtgc当地tca tctt当地aaattt 5940  
ttgtataataa ggaattgaag ttaaatttga tgctaaaaat ttgttaattaa gaaggaggta 6000  
ttacatgaac aaaaatataa aatattctca aaactttta acgagtgaaa aagtactcaa 6060  
ccaaataataa aaacaattga attt当地aaaga aaccgatacc gtttacgaaa ttggacagg 6120  
taaaggccat ttaacgc当地 aactggctaa aataagtaaa caggtacgta ctattgaatt 6180  
agacagtc当地 ctattcaact tatacgctc当地 aaaaattttaaa ctgaaatactc gtgtcactt 6240  
aattcaccaa gatattctac agtttcaatt ccctaaccaaa cagaggtaaa aaattgttgg 6300  
gagtttccct taccatttaa gcacacaaaat tattaaaaaa gtggtttgg aaagccatgc 6360  
gtctgacatc tatctgattt tgaaagaaagg attctacaag cgtaccttgg atattcaccg 6420  
aacacttaggg ttgtcttgc acactcaat ctcgatttgc caatttgc当地 agtgc当地cag 6480  
ggaatgttccct catcctaaac caaaaagtaaa cagtgctt当地 ataaaaactt当地 cccgc当地atc 6540  
cacagatgtt ccagataaaat atttgc当地atc atatacgtt当地 tttgttccaa aatgggtcaa 6600  
tcgagaataat cgtcaactgt ttactaaaaaa atcgtt当地cat caagcaatga aacacgcca 6660  
agtaaacaat ttaagtaccg ttacttatga gcaagtatttgc当地 tctt当地tttta atagttatct 6720  
attatttaac gggaggaaat aatttcatga ttacttaagg gaatgttagat aaattttagt gtcgctt当地 taaattttggaa aagttacacg 6780  
agaggttccct agcgccctacg gggatatttgc当地 gtagtactt当地 gacagcttcc aaggagctaa 6840  
gctcgccccc tgagaaagcc cagtaaggaa atcgatcaagg ggtacaaaattt cccactaagc 6900  
cggaaccaaa ggaagtaggt taaaccctgc当地 atcgtatagg ggtacaaaattt cccactaagc 6960  
acatttggccct ctgttaggc当地 cgggatttggc gtagtactt当地 gacagcttcc aaggagctaa 7020  
agaagttccct cggccgccc当地 ttgc当地aggcc cacttgc当地ggg tgaaaggtga gcaaggccac 7080  
ttagccggg ttagccacggg tccgaaacgccc acactgttag gttcgagtc当地 cgagatcccc 7140  
acgccc当地gacag gatctagc当地 tgc当地tttgc当地 gtagtactt当地 gacagcttcc aaggagctaa 7200  
ccgcaaaatag cccccaggac cggccatcaat atcgtatagg ggtacaaaattt cccactaagc 7260  
atgaacacga ccatcagccg ctgc当地acagcg gtagaccggaa aataaacaac aagctcc当地 7320  
atcgtatagg aataaacaac aagctcc当地 gtagtactt当地 gacagcttcc aaggagctaa 7380  
atcgtatagg aataaacaac aagctcc当地 gtagtactt当地 gacagcttcc aaggagctaa 7440  
agatgc当地cat ccaccaggatt cccgcttggaa cgtatccctcg gtagtactt当地 gacagcttcc aaggagctaa 7500  
ccgccc当地gca cggccgacgc agcataccgg gtagtactt当地 gacagcttcc aaggagctaa 7560  
cgaaaacgccc ggacagatgc gc当地tttgc当地 gtagtactt当地 gacagcttcc aaggagctaa 7620  
ccgacagccccc aatgtatctcg cctgtc当地atgt gtagtactt当地 gacagcttcc aaggagctaa 7680  
gttc当地cgccaa cgc当地tccatg ggctt当地tttct cctcgtgctc gtaaaacggac cggacatct 7740  
ctggagctt cttc当地aggcc gacaatcgga tctcgtgctc gtaaaacggac cggacatct 7800  
caagccgtcg aatctgagcc ttaatcacaat ttgtcaat ttaatctctg tttatcggca 7860  
gttc当地tagag cgc当地ccgtgc gccc当地aggca cttcgtgctc gtaaaacggac cggacatct 7920  
cccgctt当地 tctgaaatgc cagtaaaagcg cttcgtgctc gtaaaacggac cggacatct 7980  
cccacaaggc cctagctt当地 gcaatgc当地 aggtcatcat tgacccaggc gtgttccacc 8040  
aggccgctcg ctc当地caactc ttgc当地aggct cttcgtgctc gctc当地gc当地ca cttcttcaacg 8100  
cgggctgaaat cc当地atccgca catgaggccg gtagtactt当地 gacagcttcc aaggagctaa 8160  
cggtgc当地gc当地 tggaaatagtc gaacatccgt gtagtactt当地 gacagcttcc aaggagctaa 8220  
tccc当地atgaa atttgc当地tga gtggc当地gcca gtagtactt当地 gacagcttcc aaggagctaa 8280  
aggaccttgc当地 aacgggacgt tttcttgc当地 gtagtactt当地 gacagcttcc aaggagctaa 8340  
gacaccgatt cc当地aggccca aacgc当地ggctcg gtagtactt当地 gacagcttcc aaggagctaa 8400  
cgccgacaggc attcctc当地ggc cttcgtgtaa taccggccat tgatc当地gacca gccc当地aggcc 8460  
tggcaaaatgc cgttagaaatgc gaaagggtgatc ggctc当地ggc当地 taggggtgctc cttcgtc当地tac 8520  
tccaacaccc gctc当地ccacac cagtc当地gtca tc当地gtc当地ggcc gtagtactt当地 gacagcttcc aaggagctaa 8580  
gtgatcttca cgtc当地cttgtt gacgtggaaa gtagtactt当地 gacagcttcc aaggagctaa 8640  
attttctt当地 tgc当地gtgtt gaaacaggcc gtagtactt当地 gacagcttcc aaggagctaa 8700  
atcgtgtccg gccacggcc当地 aatatcgaac aaggaaatgc gtagtactt当地 gacagcttcc aaggagctaa 8760  
ttcgtgtgtt ttagccacgc ggc当地cttgc当地 gtagtactt当地 gacagcttcc aaggagctaa 8820  
ccggccggtt ttgc当地cttgc当地 ggtc当地gtc当地ata gtagtactt当地 gacagcttcc aaggagctaa 8880  
gccaaccctg cccgctt当地ctg ttgc当地aggcc gtagtactt当地 gacagcttcc aaggagctaa 8940  
ggcaggccgag ggggaggccag ttgc当地aggctg accatc当地gagc gtagtactt当地 gacagcttcc aaggagctaa 9000  
cgacggactg gaaggtttgc当地 atgggttccg catcctc当地gc当地 gtagtactt当地 gacagcttcc aaggagctaa 9060  
cggtcaaaccg tccgattcat tc当地accctct gtagtactt当地 gacagcttcc aaggagctaa 9120  
atgtgc当地ctt gtagtactt当地 tgc当地aggcc gtagtactt当地 gacagcttcc aaggagctaa 9180  
tc当地ggccatgaa agtc当地ggcc当地 gtagaccgtc atcttgc当地ctt gtagtactt当地 gacagcttcc aaggagctaa 9240  
atcttgc当地ctt gtagaccgtc gtagaccgtc tggccgtctt tctcgtactt gtagtactt当地 gacagcttcc aaggagctaa 9300  
tgagagccaa aacactt当地tga gcgaaagaag tggccctt当地 gtagaccgtc gtagtactt当地 gacagcttcc aaggagctaa 9420

ttgcgcact cttcattaaac cgctataatcg aaaattgttt gcggcttggta agaattggca 9480  
tgacgtaccc cgggtgtcact ggtaaagatta ccgataaaact ggaactgatt atggcnctc 9540  
gaaattccct cggcttgcct ttgcgtcggt gtatgtact tcaccagctc cgcgaagtcg 9600  
ctcttcttga tgagcgcata ggggacgtgc ttggcaatca cgcgcacccc cggccctt 9660  
tagcggctaa aaaagtcata gctctgcctt cgggacggacc acgcccata cgcacccatca tgacccatcg 9720  
aagctcgcc tcgttcttgc cgtatctcg cagcaggcgc agatctgtt catcaccgaa 9780  
ccgcgcgtg cgcgggtcgt cggtgagcca gagtttcagc agggccccc ggcggccag 9840  
gtcgccattt atgcgggcca gctcggac gttctatag tccacacgc cctgttacgc 9900  
tagccctgg ccgacggcca gcaggtaggc cgacaggctc atgcccggcg cccgcgcctt 9960  
ttcctcaatc gctctcggt cgtctggaa gcaatcacc ttgataggtt ggctgcctt 10020  
cctggttggc ttggttcat cagccatccg cttgccccta tctgttacgc cggcggtac 10080  
cgccagcct cgacagacag gattccgtt gagcaccgc aggtgcgaat aaggacagt 10140  
gaagaaggaa caccgcctcg cgggtggcc tacttcaccc atcctgccc gctgaccc 10200  
ttggatcacac caaggaaagt ctacacgaac ctttggcaa aatctgtat atcgtcgaa 10260  
aaaggatgga tataccgaaa aaatcgctat aatgacccc aagcagggtt atgcagcgg 10320  
aaagatccgt cgaccctttc cgacgcctac cgggctgtt gcccctgccc ctggctggc 10380  
ggccgtctat ggcctgcaa acgcgcaga aacgcgcgtc aagccgttg cgagacaccg 10440  
cggccgcgc cccggctgtt ggataccacg cggaaaactt gcccctact gacagatgag 10500  
ggcggacgt tgacacttga gggggcact caccggcgc ggcgttgaca gatgaggggc 10560  
aggetcgatt tggccggcg acgtggagct ggccagcctc gcaaatcgcc gaaaacgcct 10620  
gattttacgc gagttccca cagatgtat ggacaaggct gggataagt gccctgcgtt 10680  
attgacactt gaggggcgcg actastgaca tattgacatt tgaggggctg acacttgagg 10740  
ggcagagtga tgacagatga gggggcacc ctttggccat tccacaggca 10800  
gaaaatccag catttgcag gtttccgc cgttttccg ccaccgcata cctgttcttt 10860  
aacctgcctt taaaccaata tttataaaacc ttgtttttaa ccaggctgc gccctggcgc 10920  
gtgaccgcgc aegccgaagg ggggtgcccc cccttcctga accctcccg cccgctaacg 10980  
cgggcctccc atccccccag gggctgcgc cctcggccgc gaaaggccctc accccaaaaa 11040  
tggcaggcca agttgttgc gtcgttccgc gtgaacgtcg getcgattgt acctgcgtt 11100  
aaatacttt cgatcggtt ggcgcctgc ccgtgcgtc ggctgatctc acggatcgac 11160  
tgcttccttc gcaacgcctt ccgacggatg atgtttaaaa gtccatgtg gatcactccg 11220  
ttgcccctgc gtcaccgtt ttggggggaa ggtgcacatg gtcagttct caatggaaat 11280  
tatctgccta accggctca gttctgcgtt aaaccaacat gcaagctcca cgggtgtcaa 11340  
agcggcagcg gcgccaggat atattcaatt gtaaatggct tcatgtccgg gaaatctaca 11400  
tggatcagca atgagttatg tggtaatata gggaaaaaaag aaagagtaat taccatattt 11460  
tttcaattt aaaaatgtat atgtccgcag cgttattata aatgaaatg acattttgat 11520  
aaaacgacaa attacgatcc gtcgttattt taggcgaaag caataaacaat attattctaa 11580  
ttcggaaatc ttatattcga cgtgtctaca ttcacgttca aatgggggag atccgtcgac 11640  
ctgcagttag gtctgcctcg tgaagaagggt gttgtact ctagccatcgcc 11700  
ccatcatcca gccagaaagt gaggggacca cgggtgtatga gagcttggat gtaggtggac 11760  
cagttgtga tttgaactt ttgcgttgc acggaaacggc ctgcgttgc gggaaagatgc 11820  
gtgatctgtat cttcaactc agcaaaaagtt cgatttattt aacaaagcca ctttgcgttgc 11880  
caaaatctct gatgttacat tgcacaagat aaaaatataat catcatgaac aataaaactg 11940  
tctgcttaca taaaacagtaa tacaagggtt gttatgagcc atattcaacg ggaaacgtct 12000  
tgctcgaggc cgcgattaaa ttccaaacatg gatgtctgatt tataatgggt taaatggct 12060  
cgcgataatg tcggcaatc aggtgcgaca atctatcgat tttatgggaa gcccgtcg 12120  
ccagaggtagt ttctgaaaca tggcaaagggt agcgttgcctc atgtatgttac agatgagatg 12180  
gtcagactaa actggctgac ggaattttatg cctcttccgc ccatcaagca ttttatccgt 12240  
actcctgtat atgcgttgcgactt acccactt gcgatccctg gggaaaacagc attccaggta 12300  
tttagaaat atcctgattt aggtgaaaat attgttgcattt cgttgcgttgc gttcctgcgc 12360  
cggttgcatt cgattcctgt ttgttattgt ctttttaaca gcgatcgccg atttcgctc 12420  
gctcaggcgc aatcacgaat gaataacggc ttgttgcattt cgagtgttgc ttagtgcac 12480  
cgtaatggct ggcgttgc acaagtctgg aaagaaatgc ataaactttt gccatttc 12540  
ccggatttcg tcgtcactca tgggttgc accttattttt tttatgggaa tgacgagggg 12600  
aaattaatag gttgtattga tgggttgc acgttgcgttgc gcaatcg cagaccgata ccaggatctt 12660  
gccagcctat ggaactgcct cgggttgcgtt ttcccttcac tacagaaacg gtttttcaa 12720  
aaatatggta ttgataatcc tgatgtatgaa aaattgcattt ttcattttgat gctcgatgag 12780  
tttttctaat cagaattggt taatgggtt taacacttgc agagcattac gctgacttgc 12840  
cgggacggcg gcttgcattt gtttgcattt cttttgcata gtttgcattt cagatcacgc 12900  
atctccctca caacgcac gtcgttgcgtt cttttgcattt gtttgcattt accaactgg 12960  
ccacctacaa caaagctctc atcaaccgtt gtttgcattt cttttgcattt gatgatgggg 13020  
cgattcaggc ctggatgttag tcagaacac cttttgcattt cttttgcattt cagcgcctgc 13080

aggtcgacgg atctggggga tctagcagat ccgcgagggg atcgagccc acatatgcc 13140  
 cggttcggt gcgactaaca tgagttctg gacaaattt gatggacctg atgagatgat 13200  
 ccaaccgag gatatacgaa agctcggtcg tgcagcaatg gaacggccaa accgtgctt 13260  
 tggcccaag aatgaggtgc tatgcatgaa ggaatctacc cgttcatgtc caacagtctc 13320  
 agggtaatg tctatgtatc ttaaataatg ttgtcggtat ttgtaatct catatagatt 13380  
 ttcactgtgc gacgcaaaaa tattaaataa atattattat tatctacgtv ttgattgaga 13440  
 tatcatcaat attataataa aaatatccat taaacacgat ttgatcacaa tgacagtcaa 13500  
 taatctgatt tgaatattta ttaattgtaa cgaattacat aaagatcgaa tagaaaatac 13560  
 tgcactgcaa atgaaaatta acacatacta ataaatgcgt caaatatctt tgccaaagatc 13620  
 aagcggagtg agggcctcat atccggctc tccaccaatg ccctcgacat agatgccggg 13680  
 catggctca ggcgggctt taagctcaat cccatccaa tctgaatatc ctatcccg 13800  
 cccagtcgg tgtaagaacg ggtctgtcca tccacctctg ttgggggtggg cgaagaactc 13860  
 cagcatgaga tccccgcgt ggaggatcat ccagccggcg tcccggaaaa cgattccgaa 13920  
 gcccaacctt tcatagaagg cggcggtgga atcgaatct cgtgatggca gtttggcgt 13980  
 cgcttggctg gtcatttcga acccagagt cccgctcaga agaactcgtc aagaaggcga 14040  
 tagaaggcga tgcgctgca atcggagcg gcgataccgt aaagcacgag gaagcggtca 14100  
 gcccattcgc cgccaagetc ttcagcaata tcacggtag ccaacgctat gtcctgatag 14160  
 cggtcgcca caccaggccg gccacagtcg atgaatccag aaaaagcggcc attttccacc 14220  
 atgatattcg gcaaggaggc atcggcatgg gtcacgacga gatcctcgcc gtcgggcatg 14280  
 cgcgccttga gcttggcgaa cagttcggtc ggcgcgagcc cctgatgctc ttctgtccaga 14340  
 tcatctgtat cgacaagacc ggttccatc tcaagctat gcagccgccc cattgcatca 14460  
 gcttgggtgt cgaatggca ggtagccgaa aggtgagatg acaggagatc ctgccccggc 14520  
 gccatgtatgg atacttttc ggcaggagca gcttcagtga caacgtcgag cacagctgcg 14580  
 acttcgcccc atagcagcca gtccttccc agccgcgtg cctcgctctg cagttcatc 14640  
 caaggaacgc ccgtcggtgc cagccacgat agaaccgggc gcccctgcgc tgacagccgg 14700  
 agggcaccgg acaggtcggt cttgacaaaaa tggtgtgccc agtcatagcc gaatagcctc 14760  
 aacacggcgg catcagagca gccgattgtc aatccatctt gtcataatcat gctaaaggat 14820  
 tccaccaag cggccggaga acctgcgtc cagatgtg tttaaatagg cagtagcctt 14880  
 ctcgatcccc gggctgattt tctcagtctc ttgtatccatc gtcgttccatc 14940  
 ttgtatccatc ccacaagttgt gttggaaatct tattttatgt atttattacc gccaatgtct 15000  
 tattgaattc tcttggaaagg aagtccgcaa gtcatctgtat gtttcttcca agtttcaat 15060  
 catcaaatga atagtggcta agccatgttt tggaaatgatgatttccatc 15120  
 ctccttgtatc atttagatataa atactaaatt tctttatgttccatc 15180  
 aatgaacagg agttagatataa atactaaatt tctttatgttccatc 15240  
 ctttgcatt gctgtggtaa ttctttctg cagtttaaa gtcagatct tgcaggtccc 15300  
 cagattagcc ttttcaattt cagaaagaat gctaaccac agatggtagt agaggcttac 15360  
 gcagcaggc tcatcaagac gatctaccgc ccaagaagg ttcaggacta actgcataa 15420  
 cccaaagg ttaaagatgc agtcaaagaatc aatccatgtat ggttccatc 15480  
 aaagatatat ttctcaagat cagaagttact gtcataatcat gtttccatc 15540  
 cacaaccaa ggcaagtaat agagattgga gtcctctaaa aggttagttcc cactgaatca 15600  
 aaggccatgg agtcaaagat tcaaatagag gtcataatcat gtttccatc 15660  
 gaacagttca tacagagttct cttacgactc aatgacaaga agaaaatctt gtcataatcat 15720  
 gtggagcacg acacgcttgt ctactccaaa aatatcaaag atacagtctc agaagaccaa 15780  
 agggcaattt agactttca acaaaggta gtcataatcat gtttccatc 15840  
 ccagctatct gtcactttat tggaaatgatc gtcataatcat gtttccatc 15900  
 catcattcgcg ataaaggaaa ggcattcggtt gtcataatcat gtttccatc 15960  
 gatggacccc caccacgag gtcataatcat gtttccatc 16020  
 aagcaagtgg attgatgtatc ttcatttcact gtcataatcat gtttccatc 16080  
 ctttcgcaag acccttcctc tatataagga gtcataatcat gtttccatc 16140  
 actctagagg atccggatcc gtcataatcat gtttccatc 16200  
 gtcccaattt ttgttgaattt agatggtagt gtcataatcat gtttccatc 16260  
 gagggtgaag gtgatgtac atacggaaatc gtcataatcat gtttccatc 16320  
 aaactacctg ttccatgcc aacacttgc gtcataatcat gtttccatc 16380  
 tcccgttatac cgatcatat gaagcggcac gtcataatcat gtttccatc 16440  
 tacgtgcagg agaggacat ctcttcaag gtcataatcat gtttccatc 16500  
 gtcaagttt agggagacac ctcgtcaac gtcataatcat gtttccatc 16560  
 gaggacggaa acatcctcg ccacaaggat gtcataatcat gtttccatc 16620  
 atcacggcag acaaacaaaa gaatggaaatc gtcataatcat gtttccatc 16680  
 gaagatggat ccgttcaact agcagaccat gtcataatcat gtttccatc 16740

|             |             |              |             |            |            |       |
|-------------|-------------|--------------|-------------|------------|------------|-------|
| aacgaaaagc  | gtgaccacat  | ggtccttctt   | gagtttgtaa  | ctgctgctgg | gattacacat | 16800 |
| ggcatggatg  | agctatacaa  | ataaaagatcc  | tcgaatttcc  | ccgatcggtc | aaacatttgg | 16860 |
| caataaaagtt | tcttaagatt  | gaatccgtt    | gccggtcttgc | cgatgattat | catataattt | 16920 |
| ctgttgaatt  | acgatggca   | tgtataataatt | aacatgtaat  | gcatgacgtt | atttatgaga | 16980 |
| tgggttttta  | tgatttagagt | cccgcaatta   | tacattttaat | acgcgataga | aaacaaaata | 17040 |
| tagcgcgcaa  | actaggataaa | attatcgcg    | gcgggtgtcat | ctatgttact | agatcgatcg | 17100 |
| ggaatttagat | c           |              |             |            |            | 17111 |

<210> 32  
<211> 17116  
<212> DNA  
<213> Artif

<220>  
<223> Description of Artificial Sequence:pAfActAf-bin

tctatgaaact gtgcgtcaca gccaaaagcc agacagagtg tgatatctac ccgcttcg 2700  
tcggcatccg gtcagtggca gtgaaggcg aacagttct gattaaccac aaaccgttct 2760  
actttactgg ctttggctgt catgaagatg cgacttacg tggcaagga ttcgataacg 2820  
tgctgtatgg gcacgaccac gcattaatgg actggattgg gccaactcc taccgtacct 2880  
cgcattaccc ttacgctgaa gagatgctcg actggggcaga tctctttagg cattggttc gaagcggc 2940  
ttgatgaaac tgctgctgtc ggcttaacc cagtcaacgg gaaaactcag caagcgcact 3000  
acaagccgaa agaactgtac agcgaagagg acaaaaaacc accaagcgtg gtatgtgga 3060  
tacaggcgat taaagagctg atagcgcgtg aatggggc aatggggc aatggggc aatggggc 3120  
gtattgccaa cgaaccggat acccgccgc aagtgcacgg gaatattcg ccactggcg 3180  
aagcaacgcg taaactcgac ccgacgcgtc cgatcacctg cgtcaatgtatgttctgcg 3240  
acgctcacac cgataccatc agcgatctct ttgatgtgtc gtgcctgaac cgttattacg 3300  
gatggatgt cccaaagcggc gattggaaa cggcagagaa ggtactggaa aaagaacttc 3360  
tggcctggca ggagaaactg catcagccga ttagtgcgttgcg 3420  
tagccggct gcactcaatg tacaccgaca tcagcgcgttgcg 3480  
tggatatgttgcgatccaccatc agcgatctct ttagtgcgttgcg 3540  
atttcggcga ttttgcgacc tcgcaaggca cggctttct gctgcaaaaaa 3600  
tcttcactcg cgaccgcaaa ccgaagtcgg gaggcaaaaca atgaatcaac aacttcctgc 3660  
gcatgaactt cggtaaaaaa ccgcagcagg ggaattggag agctcgaatt tcccgcattcg 3720  
gcccaccatc gtcggctaca gcctcgggtgg attgaatctt gttgcgggttgcg 3780  
ttcaaacatt tggcaataaa gtttcttaag gcatgttata attaacatgt aatgcattgac 3840  
tatcatataa tttctgttga attacgttac agtcccgcatttgcg 3900  
gttattttatg agatgggtt ttatgattag taaattatcg cgcgcgggtgt catctatgtt 3960  
agaaaaacaaa atatagcgcg caaacttagga actagatcga tcgggaaatttgcg 4020  
aatatattttt atgaagtcaag caaaattttt ctcgatatactt ttaatttcta atatatttag 4080  
taaatgttta aacttaattt cacttgtaaa gaaaaaaat tttaaaacga taggcagct 4140  
ctaataatatt tagaaggggtt ttagattttt atattttccatgcg 4200  
cgataggcca gctccaaaga atatatttcc ttccttttgcg 4260  
cccttctaat atattttcg atattttga aaaaagcaca cttgacttgg tatattttta 4320  
aagctgactt ctaataatata tttatgaagt cacttgcag 4380  
tggtatatat ttataatgtt taaaacttaa atatgttgcg 4440  
tagttctaga gcggccgctt aattaaggcc ttccttttgcg 4500  
ctacgatggg gggcatcgca ccggtgagta cttgacttgcg 4560  
gtagaccta attgcgagct ttctaaatttgcg 4620  
gatgctgact ggcaggatataccgttgcg 4680  
tatgtttgtt tgattgttgcg 4740  
ttgatttagc cctgatgaac tgccgagggg ctttgcg 4800  
tttcgttgcg caacgagacg acagaacacc aacttgcg 4860  
actgaaaaag gaaaattatt gtgcaggca aatgttgcg 4920  
gaaatgacgg ctaaatggga aacgtatttgcg 4980  
gagaacttta ttacgaatata caaaaaatttgcg 5040  
gatataaaaa aactaaattt ttctgttgcg 5100  
agtattgttag gaaaatgtcc taagtgtggc aacatgttgcg 5160  
ggttgcgttca attatctgttgcg 5220  
ctcacaaaaaa ctaaatgtaaa agaattacta aacatgttgcg 5280  
aaaacgaaag atagaaagtc ctacaatgcg 5340  
gattttatataatctgttgcg 5400  
atcacaaaaatc acttatcaca aatcacaatgttgcg 5460  
taagaagaaa tagaaagaag tgagtgttgcg 5520  
gaaatgataccaaatcgttgcg 5580  
gtgctgactt gcaccatatac ataaaaatcg aacatgttgcg 5640  
aagttatggaa aataagacttgcg 5700  
aaattttgttgcg 5760  
agtgattaca tgaacaaaaaa tataaaatataatgttgcg 5820  
ctcaacccaaatcgttgcg 5880  
acaggttaaag ggcatttac gacgaaactg ttagatgttgcg 5940  
gaatttagaca gtcatctatt caacttgcg 5940  
actttatattc accaagatataatgttgcg 6000  
tctcaaaaacttgcg 6060  
aaagaaaccatcgttgcg 6120  
gctaaaataatcgttgcg 6180  
tcagaaaaat taaaactgaa ttagatgttgcg 6240  
acttgcgttgcg 6300



gccttttctt caatcgctct tcgttcgctc ggaaggcagt acaccttgat aggtgggctg 10020  
cccttcctgg tggcttggg ttcatcagcc atccgcttgc cctcatctgt tacgccccgc 10080  
gtagccggcc agcctcgac agcaggattc ccgttgagca cgcggcagggt cgaataaggg 10140  
acagtgaaga aggaacaccc gctcgccggg gggcctactt caccatcct gcccggctga 10200  
cgccgttggc tacaccaagg aaagtctaca cgaaccctt ggcaaaatcc tgtatatcgt 10260  
gcgaaaaagg atggatatac cgaaaaaaatc gctataatga ccccgaaagca gggttatgca 10320  
gcggaaaaga tccgtcgacc cttccgacg ctcaccggc tggttgcct cggccgttgg 10380  
ctggcgccg tctatggccc tgcaaacgcg ccagaaacgc cgtcgaagcc gtgtgcgaga 10440  
caccgcggcc gcccgcggc gttgtggata ccacgcggaa aacttggccc tcactgacag 10500  
atgaggggcg gacgttgaca cttgagggc cgactcaccc ggccggcgt tgacagatga 10560  
ggggcaggct cgatttcggc cggcgacgtg gagctggcca gcctcgcaaa tcggcgaaaa 10620  
cgccgtattt tacgcgagtt tcccacagat gatgtggaca agcctgggaa taagtgcct 10680  
gcggatttga cacttgaggg gcgcgactac tgacagatga gggcgcgat cttgacact 10740  
tgagggcag atgtatgaca gatgagggc gcacctattg acatttgagg ggctgtccac 10800  
aggcagaaaa tccagcatt gcaagggtt ccgcccgtt ttcggccacc gctaacctgt 10860  
cttttaacct gcttttaaac caatattat aaaccttgg tttaccagg gctgcggcct 10920  
ggcgcgtgac cgccgacgccc gaaggggggt gccccccctt ctgcacccct cccggccgc 10980  
taacgcggc cttccatccc cccaggggct gcgcggctcg gcccgcacg gcctcacccc 11040  
aaaaatggca ggcgaagctt gtttgcgt tccgcgtgaa cgtcggctcg attgtacctg 11100  
cgttcaataa ctttgcgatc gtgttgcgcg cctgcgggt gctgcggctg atctcacgga 11160  
tcgactgctt ctctcgcaac gccatccgac ggtatgtt taaaagtccc atgtggatca 11220  
ctccgttgcc ccgtcgctca ccgtgttggg gggaaagggtc acatggctca gttctcaatg 11280  
gaaattatct gcctaaccgg ctcagttctg ctagaaacc aacatgcaag ctccaccggg 11340  
tgcaaagcgg cagcggcggc aggatattt caattgtaaa tggcttcatg tccggaaat 11400  
ctacatggat cagcaatgag tatgatggc aatatggaga aaaagaaaga gtaattacca 11460  
atttttttc aattcaaaaaa ttttagatgtc cgcagcgta ttataaaatg aaagtacatt 11520  
ttgataaaaac gacaaattac gatccgtcgt attataggc gaaagcaata aacaaattat 11580  
tctaattcgg aaatctttat ttcgacgtgt ctacattcac gtccaaatgg gggagatccg 11640  
tcgacccgtca gtgagggtctg ctcgtgaag aaggtgttc tgactcatac caggcctgaa 11700  
tcgccccatc atccagccag aaagtgggg agccacggtt gatgagagct ttgtttagg 11760  
tggaccagtt ggtgattttt aactttgtc ttgcccacgga acgtctcg tttgtcggaa 11820  
gatgcgtgat ctgatccttc aactcagcaa aagttcgatt tattcaacaa agccacgtt 11880  
tgtctcaaaa tctctgtatgt tacattgcac aagataaaaa tatatcatca tgaacaataa 11940  
aactgtctgc ttacataaaac agtaataacaa ggggtgttat gagccatatt caacgggaaa 12000  
cgcttgcctc gaggccgcga taaaattcca acatggatgc tgattttat gggtataaat 12060  
gggctcgcga taatgtcggt caatcaggtg cgacaatcta tcgattgtat gggaaagcccg 12120  
atgcgcaga gttgtttctg aaacatggca aaggtagcgt tgccaatgt gttacagatg 12180  
agatggtcag actaaactgg ctgacggat ttatgcctt tccgaccatc aagcatttta 12240  
tccgtactcc ttagtgcata tggttactca ccactgcgt ccctggaaa acagcattcc 12300  
aggatttaga agaatatcc gattcaggtg aaaatattgt ttagtgcgtg gcagtttcc 12360  
tgcgcgggtt gatttcgatt cctgtttgtt attgtcctt taacagcgat cgcgtatttc 12420  
gtctcgctca ggcgcaatca cgaatgaata acgggttggg ttagtgcgtg gattttgatg 12480  
acgagcgtaa tggctggcct gttgaacaag tctggaaaga aatgcataaa cttttgccc 12540  
tctcaccggc ttcaagtcgtc actcatggt atttctcact tgataaccc tttttgacg 12600  
agggggaaatt aataggttgtt attgatgtt gacgagtcgg aatcgcagac cgataccagg 12660  
atcttgcctc cctatggaaac tgcctcggtg agtgttctcc ttcatcagaaacggctt 12720  
ttcaaaaaata tggattgtt aatcctgata tgaataaaatt gcagttcat ttgatgctcg 12780  
atgagttttt ctaatcgaaa ttggtaatt gttgttaaca ctggcagagc attacgctga 12840  
cttgacggga cggcggtttt gttgaataaa tcgaactttt gctgagttga aggtacagat 12900  
cacgcatttt cccgacaacg cagaccgtt cgtggcaaag caaaagttca aaatcaccaa 12960  
ctggtccacc tacaacaaag ctctcatcaa ccgtggctcc ctcactttt ggctggatga 13020  
tggggcgatt caggcctggg atgagtcgc aacaccttct tcacgaggca gacctcagcg 13080  
cctgcaggc gacggatctg ggggatctag cagatcccg agggatcga gcccgcacata 13140  
tgccccgggt tggcttgcac taacatgatgt tcttggacaa atttggattgg acctgtatgag 13200  
atgatccaac cggaggatat agcaaagctc gttcgtcgcg caatggaaacg gccaaaccgt 13260  
gctttgtcc ccaagaatga ggtgtatgc atgaaggaaat ctaccctgtg atgtccaaaca 13320  
gtctcagggt taatgtctat gtatctaaa taatgttgc ggttattttgt aatctcatat 13380  
agattttcac tggcgcacgc aaaaatatta aataaaatattt attattatct acgtvttgat 13440  
tgagatatca tcaatattat aataaaaaata tccattaaac acgatttgat acaaatgaca 13500  
gtcaataatc tgatttgaat atttattat tggtaacgaat tacataaaga tcgaatagaa 13560  
aataactgcac tgcaaatgaa aattaacaca tactaataaa tgcgtcaat atctttgcca 13620

agatcaagcg gagtgagggc ctcataatccg gtctcaggtt caagcacggg atccccgaag 13680  
 cgcgctccac caatgccctc gacataqatg cgggctcga cgctgaggac attgcctacc 13740  
 ttgagcatgg tctcagcgcc ggcttaago tcaatcccac cccaatctga atatcctatc 13800  
 ccgcgcccag tccgggttaa gaacgggtct gtccatccac ctctgttggg gtgggcaag 13860  
 aactccagca tgagatcccc gcgtggagg atcatccagc cggcgtccc gaaaacgatt 13920  
 ccgaagccca acctttcata gaaggcggcg gtggaatcga aatctcgta tggcaggtt 13980  
 ggcgtcgctt ggtcggtcat ttcaaaaccc agagtcggc tcagaagaac tcgtcaagaa 14040  
 ggcgatagaa ggcgatgcgc tgcaatcg gagcggcgat accgtaaacg acgaggaagc 14100  
 ggtcagccca ttgcggcga agctttcag caatatcagc ggtagccaac gctatgtcct 14160  
 gatagcggtc cgccacaccc agccggccac agtcgatgaa tccagaaaag cggccatttt 14220  
 ccaccatgat attcggcaag caggcatcgc catgggtcac gacgagatcc tcgcccgtcg 14280  
 gcatgcgcgc cttgagcctg gcgaacagtt cggctggcgc gagccctga tgctttcgt 14340  
 ccagatcatc ctgatcgaca agaccggctt ccattccgagt acgtgctcgc tcgatgcgt 14400  
 gtttcgttg gtggtcgaat gggcaggtag cggatcaag cgtatgcagc cggccattt 14460  
 catcagccat gatggatact ttctcgccag gagcaaggtg agatgacagg agatcctgcc 14520  
 ccggcacttc gccaataagc agccagtcggc ttcccgcctt agtgacaacg tcgagcacag 14580  
 ctgcgaagg aacgcccgtc gtggccagcc acgatagccg cgctgcctcg tcctgcagg 14640  
 cattcaggcc accggacagg tcggcttga caaaaagaac cggcgcggcc tgcgtgaca 14700  
 gccggAACAC ggcggcatca gagcagccga ttgtctgtt tgcccgatca tagccgaaa 14760  
 gcctctccac ccaagcgccc ggagaacctg cgtcaatcc atcttgcgtca atcatgctaa 14820  
 aggatctcga tccccgggtt gattttctca gtctccagag atgtgtttaa ataggcgtt 14880  
 gcctttgtat atcagccaca agtgtgtggg aatcttatct tcggatattca attaggaatt 14940  
 aactttattt aattctctt aaaggaagtc ttcaacatca aatgaataatg ggctaagccaa 15000  
 cgaatctcct ttgttaatttga gattaacgaa actcttgaaa tgagtattat ctgtccta 15120  
 cagaaaatga acaggaggtt gataaataact aaatttctt atagtttta ttaccgcca 15180  
 tgtcttttg tcattgtctgt ggttaatttctt gtcccgat tagccttttc aatttcgaa 15240  
 cttacgcagc aggtctcatc aagacgtctt cgtcaatcc atcttgcgttc ttccaagtt 15300  
 acctttccaa gaagggttaa gatgcgtca ccccgagcaa taatctccag gagatcaa 15360  
 aaagattcag gactaactgc atcaagaaca 15420  
 gtactattcc agtatggacg attcaaggct 15480  
 ttggagtc taaaaggta gttccactg 15540  
 tagaggacct aacagaactc gccgtaaaga 15600  
 gactcaatga caagaagaaa atcttcgtca 15660  
 caaaaaatat caaagataca gtctcagaag 15720  
 cttcaagca agtggatttgc tggatatatct ccactgacgt aagggtatgc gcacaatccc 16020  
 actatccctc gcaagaccct tcctctat aaggaagttc atttcatttg gagagaacac 16080  
 gggggactct agaggatccg gatccgtca ccatgagcaa aggagaagaa cttttcactg 16140  
 gagttgtccc aattcttgcattt gaaatagatg gtgttttttgc tggcaca 16200  
 gtggaggg tgaagggtat gctacatacg gaaagcttac ctttttttttgc tgggttcaat 16260  
 ctggaaaact acctgttcca tggcaacac ttgtcaatc ttctcttgc ggtgttcaat 16320  
 gctttcccg ttatccggat catatgaagc ggcacgactt cttaaagacg gccatgcctg 16380  
 agggatacgt gcaggagagg accatctt tcaaggacga cggaaactac aagacgcgtg 16440  
 ctgaagtcaa gtttgaggaa gacaccctcg tcaacaggat cgacttaag ggaatcgat 16500  
 tcaaggagga cggaaacatc ctggccaca agttggaaata caactacaac tcccacaacg 16560  
 tatacatcac ggcagacaaa caaaagaatg gaatcaagc taacttcaaa attcggcaca 16620  
 acatttgaaga tggatccgtt caacttagcag accattatca aaaaaataact ccaattggcg 16680  
 atggccctgt ctttttacca gacaaccatt acctgtcgc acaatctgc ctttgcggaa 16740  
 atccccacga aaagcgtgac cacatggtcc ttcttgcattt tggactgtc gctgggattt 16800  
 cacatggcat ggatgagcata cacaataaa gatccgttgc gttcccgat cgttcaaaca 16860  
 tttggcaata aagtttctt aagtttgcattt ctgttgcggg ttttgcgtt attatcatat 16920  
 aattttctgtt gaaattacgtt aagcatgtt aattttacat gtaatgcgtt acgttatttt 16980  
 tgagatgggt tttttatgatt agagtcccgca aattttacat ttaatacgcg atagaaaaca 17040  
 aaatatacgca cggaaacttag gataaattat cggcgcgcgt gtcattatgc ttacttagatc 17100  
 gatcgaaat tagatc 17116

<211> 646  
<212> DNA  
<213> Artificial Sequence  
  
<220>  
<223> Description of Artificial Sequence: 3' MAR in  
pAf-Act2-Af  
  
<400> 33  
ggggatctc gatatctta atttctaata tattnagaag gggtttagat ttatatatga 60  
cgtccatgaa aaaaaattt aaaacgatag gccagctca aagaatataat ttccctggag 120  
ctggtaata ttaattagtc ctctcccttc taatataattt ttcgatattt ttgattcctt 180  
tttaagatta tatacgctca tgccaagctg acttcctaat atatttatg aagttagcaa 240  
aattttaaa aagcacactt gacttggat atattataa atgtttaaac ttaatttcac 300  
ttgtaaaact cttgcaggat ctcgatatct ttaatttcta atatatttag aaggggtta 360  
gatttatata tgacgtccat gaaaaaaaaat tttaaaacga taggcccagct ccaaagaata 420  
tatccctg gagctggtaa atattaatta gtcctctccc ttctaatata ttttcgata 480  
ttttgattc ctttttaaga ttatatagtc ccatgccaag ctgacttcct aatataattt 540  
atgaagttag caaaattttt aaaaagcaca cttgacttgg tatataattta taaatgttta 600  
aacttaattt cacttgcata actcttgcag gatccactag ttctag 646

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 99/28123

|                                     |           |           |           |           |          |
|-------------------------------------|-----------|-----------|-----------|-----------|----------|
| A. CLASSIFICATION OF SUBJECT MATTER |           |           |           |           |          |
| IPC 7                               | C12N15/82 | C12N15/29 | C12N15/67 | C12N15/63 | C12N5/10 |

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category | Citation of document, with indication, where appropriate, of the relevant passages  | Relevant to claim No. |
|----------|---|-----------------------|
| A        | <p>LIU J -W ET AL: "THE INFLUENCE OF TWO PLANT NUCLEAR MATRIX ATTACHMENT REGIONS (MARS) ON GENE EXPRESSION IN TRANSGENIC PLANTS"<br/>           MOLECULAR AND GENERAL GENETICS, DE, SPRINGER VERLAG, BERLIN,<br/>           vol. 39, no. 1,<br/>           1 January 1998 (1998-01-01), pages 115-123, XP002910494<br/>           ISSN: 0026-8925<br/>           the whole document</p> <p>-----</p> <p style="text-align: center;">-/-</p> | 1-10                  |

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

## \* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance  
 "E" earlier document but published on or after the International filing date  
 "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  
 "O" document referring to an oral disclosure, use, exhibition or other means  
 "P" document published prior to the International filing date but later than the priority date claimed

"T" later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention  
 "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone  
 "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.  
 "&" document member of the same patent family

|   |  |
|---|--|
| Date of the actual completion of the International search | Date of mailing of the International search report |
| 29 March 2000   | 10/04/2000   |

Name and mailing address of the ISA  
 European Patent Office, P.B. 5818 Patentlaan 2  
 NL - 2280 HV Rijswijk  
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
 Fax (+31-70) 340-3016

Authorized officer  
 ALCONADA RODRIG., A

## INTERNATIONAL SEARCH REPORT

|                              |  |
|------------------------------|--|
| International Application No |  |
| PCT/US 99/28123              |  |

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

| Category | Citation of document, with indication, where appropriate, of the relevant passages  | Relevant to claim No. |
|----------|---|-----------------------|
| A        | BREYNE P ET AL: "Characterisation of a plant scaffold attachment region in a DNA fragment that normalises transgene expression in tobacco"<br>PLANT CELL, US, AMERICAN SOCIETY OF PLANT PHYSIOLOGISTS, ROCKVILLE, MD, no. 4, 1 April 1992 (1992-04-01), pages 463-471, XP002072399<br>ISSN: 1040-4651<br>the whole document                 | 1-10                  |
| A        | WO 97 27207 A (UNIV NORTH CAROLINA ;SPIKER STEVEN (US); ALLEN GEORGE C (US); HALL) 31 July 1997 (1997-07-31)<br>the whole document  | 1-10                  |
| A        | US 5 773 689 A (CHILDS LISA C ET AL) 30 June 1998 (1998-06-30)<br>the whole document  | 1-10                  |
| A        | RIPOLL P -J ET AL: "A new yeast artificial chromosome vector designed for gene transfer into mammalian cells"<br>GENE: AN INTERNATIONAL JOURNAL ON GENES AND GENOMES, GB, ELSEVIER SCIENCE PUBLISHERS, BARKING, vol. 210, no. 1, 27 March 1998 (1998-03-27), pages 163-172, XP004117463<br>ISSN: 0378-1119<br>the whole document            | 1-10                  |
| A        | VON KRIES J P ET AL: "A MATRIX-SCAFFOLD ATTACHMENT REGION BINDING PROTEIN IDENTIFICATION PURIFICATION AND MODE OF BINDING"<br>CELL 1991, vol. 64, no. 1, 1991, pages 123-136, XP000891516<br>ISSN: 0092-8674<br>cited in the application  | 1-10                  |
| A        | STEIN G S ET AL: "REGULATION OF TRANSCRIPTION-FACTOR ACTIVITY DURING GROWTH AND DIFFERENTIATION INVOLVEMENT OF THE NUCLEAR MATRIX IN CONCENTRATION AND LOCALIZATION OF PROMOTER BINDING PROTEINS"<br>JOURNAL OF CELLULAR BIOCHEMISTRY 1991, vol. 47, no. 4, 1991, pages 300-305, XP000864497<br>ISSN: 0730-2312<br>cited in the application | 1-10                  |
|          |   | -/-                   |

## INTERNATIONAL SEARCH REPORT

National Application No  
PCT/US 99/28123

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

| Category | Citation of document, with indication, where appropriate, of the relevant passages  | Relevant to claim No. |
|----------|---|-----------------------|
| A        | <p>SANDER M ET AL: "Drosophila topoisomerase II double-strand DNA cleavage: analysis of DNA sequence homology at the cleavage site."</p> <p>NUCLEIC ACIDS RESEARCH, (1985 FEB 25) 13 (4) 1057-72. , XP000891514</p> <p>cited in the application</p> | 1-10                  |

# INTERNATIONAL SEARCH REPORT

## Information on patent family members

International Application No

PCT/US 99/28123

| Patent document cited in search report | Publication date | Patent family member(s) |   |            | Publication date |
|--|------------------|-------------------------|---|------------|------------------|
| WO 9727207                             | A 31-07-1997     | US 5773695              | A | 30-06-1998 |                  |
|  |                  | AU 716202               | B | 24-02-2000 |                  |
|  |                  | AU 2246997              | A | 20-08-1997 |                  |
|  |                  | BR 9707208              | A | 06-04-1999 |                  |
|  |                  | CA 2244204              | A | 31-07-1997 |                  |
|  |                  | EP 0904276              | A | 31-03-1999 |                  |
| US 5773689                             | A 30-06-1998     | AU 673859               | B | 28-11-1996 |                  |
|  |                  | AU 5165593              | A | 26-04-1994 |                  |
|  |                  | CA 2147006              | A | 14-04-1994 |                  |
|  |                  | EP 0663921              | A | 26-07-1995 |                  |
|  |                  | WO 9407902              | A | 14-04-1994 |                  |